NEW AMPHIPOD TAXA IN AMPHIPOD NEWSLETTER 23

Wim Vader, XII-2001

All references are to papers found in the bibliography in AN 23

A. Alphabetic list of new taxa

1. New subfamilies

Andaniexinae Berge & Vader 2001	Stegocephalidae
AndaniopsinaeBerge & Vader 2001	Stegocephalidae
Bathystegocephalinae Berge & Vader 2001	Stegocephalidae
Parandaniinae Berge & Vader 2001	Stegocephalidae

2. New genera

2. New genera	
Alania Berge & Vader 2001	Stegocephalidae
Apolochus Hoover & Bousfield 2001	Amphilochidae
Austrocephaloides Berge & Vader 2001	Stegocephalidae
Austrophippsia Berge & Vader 2001	Stegocephalidae
Bouscephalus Berge & Vader 2001	Stegocephalidae
Exhyalella (rev.)(Lazo-Wasem & Gable 2001)	Hyalellidae
Gordania Berge & Vader 2001	Stegocephalidae
Hourstonius Hoover & Bousfield 2001	Amphilochidae
Marinohyalella Lazo-Wasem & Gable 2001	Hyalellidae
Mediterexis Berge & Vader 2001	Stegocephalidae
Metandania (rev.) (Berge 2001)	Stegocephalidae
Miramarassa Ortiz, Lalana & Lio 1999	Aristiidae
Othomaera Krapp-Schickel, 2001	Melitidae
Parafoxiphalus Alonso de Pina 2001	Phoxocephalidae
Pseudo Berge & Vader 2001	Stegocephalidae
Schellenbergia Berge & Vader 2001	Stegocephalidae
Stegomorphia Berge & Vader 2001	Stegocephalidae
Stegonomadia Berge & Vader 2001	Stegocephalidae
Zygomaera Krapp-Schickel 2001	Melitidae

3. New species and subspecies

abei	(Anonyx) Takakawa & Ishimaru 2001	Uristidae
abvssoru	m (rev.) (Andaniotes) (Berge 2001)	Stegocephalidae

africana	(Andaniopsis) Berge, Vader & Galan 2001	Stegocephalidae
amchitkana	•	Anisogammaridae
americana	(Andaniexis) Berge, Vader & Galan 2001	Stegocephalidae
americana andresi	(Listriella) Martin, Ortiz & Atienza 2000	Liljeborgiidae
angulus	(Bactrurus) Koenemann & Holsinger	Crangonyctidae
antarcticus	· · · · · · · · · · · · · · · · · · ·	
aqabaensis	(8)	
ascidicola	(Amphilochus)Martin, Ortiz & Atienzo 200	Megaluropidae
barnardi	(Apolochus) Hoover & Bousfield 2001	Amphilochidae
barnardi barnardi	(Carangolia) Jaume & Sorbe 2001	Urothoidae
barnardi	(Parhyalella) Lazo-Wasem & Gable 2001	Hyalellidae
beatricis	(Ingolfiella) Ruffo & Vonk 2001	Ingolfiellidae
beringi	(Stegocephalus) Berge & Vader	Stegocephalidae
biljanae	(Niphargus) Karaman 1998	Niphargidae
	obromus) Wang & Holsinger 2001	Crangonyctidae
boultoni	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
bounom boxshalli	(Stegocephaloides) Berge, Vader & Galan 2	• •
voxsnam	(Stegocepharoides) Berge, Vader & Garan 2	
calypsonis	(Stagaganhalaidas) Parga Vadar & Galan ?	Stegocephalidae
caiypsoms	(Stegocephaloides) Berge, Vader & Galan 2	
cellulanus	(Pastrumus) Kaspamann & Halsinger 2001	Stegocephalidae
	(Bactrurus) Koenemann & Holsinger 2001 (Stygobromus) Wang & Holsinger 2001	Crangonyctidae Crangonyctidae
cherylae	(Stegosoladidas) Berge 2001	Stegocephalidae
complex	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
cowani		_ ,
curroae	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
debroyeri dentocoxa	(Stegosoladidas) Berge 2001	Stegocephalidae cheirocratids
	(Hornellia) Lyons & Myers 1993 (Birubius) Taylor & Poore 2001	
	(Stygobromus) Wang & Holsinger 2001	Phoxocephalidae Crangonyctidae
duplus ellisi	(Gitana) Hoover & Bousfield 2001	Amphilochidae
enisi epistomus	(Anisogammarus) Bousfield 2001	Anisogammaridae
fontinalis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
forceps	(Chelorchestia) Smith & Heard 2001	Talitridae
	racoota) Krapp-Schickel & Ruffo 2001	Melitidae
gallawayae	,	Crangonyctidae
glacialis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
gloriosa	(Andaniexis) Berge, Vader & Galan	Stegocephalidae
groehni	(Niphargus) Coleman & Myers 2001	Niphargidae
groenni hartmani	(Marinohyalella) Lazo-Wasem & Gable 200	
narımanı heissleri	(Birubius) Taylor & Poore 2001	Phoxocephalidae
herbsti	•	•
ner osti	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae

hyporheicus	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
idahoensis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
imperialis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
interstitialis	, , ,	Crangonyctidae
jemezensis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
kunkeli	(Parhyalella) Lazo-Wasem & Gable 2001	Hyalellidae
lanensis	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
latus	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
ledoyeri	(Stegocephaloides) Berge, Vader & Galan 2	U
veeley e. v	(Stoge copilation and Stoge, Value of Statut 2	Stegocephalidae
limbus	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
	(Parafoxiphalus) Alonso de Pina 2001	Phoxocephalidae
	(Aoroides) Ren & Chang 1996	Aoridae
lowryi(Anda	•	Stegocephalidae
• •	bius) Taylor & Poore 2001	Phoxocephalidae
• `	, •	riioxocephandae
monai (Capi	rella) Guerra-Garcia, Sanchez-Moyano & Garcia-Gomez 2001	Campallidaa
		Caprellidae
myersae	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
nashaensis	(Ampelisca) Ren 1991	Ampeliscidae
nisbetae	(Parhyalella) Lazo-Wasem & Gable 2001	Hyalellidae
occultus ssp	· · ·	Niphargidae
omorii	(Anonyx) Takakawa & Ishimaru 2001	Uristidae
paramitis	(Caprella) Guerra-Garcia, Sanchez-Moyano	
	Garcia-Gomez 2001	Caprellidae
pelagica	(Andaniexis) Berge, Vader & Galan 2001	Stegocephalidae
pooh	(Andaniotes) Berge 2001	Stegocephalidae
poorei	(Andaniotes) Berge 2001	Stegocephalidae
priceae	(Allorchestes) Hendrycks & Bousfield 2001	
protuberant	is (Metharpinia) Alonso de Pina 2001	Phoxocephalidae
pseudolinea	ris (Andaniotes) Berge 2001	Stegocephalidae
pseudomucr	conatus (Bactrurus) Koenemann & Holsinger	2001
		Crangonyctidae
rallus (Styg	obromus) Wang & Holsinger 2001	Crangonyctidae
rauscherti	(Acanthonotozomella) Coleman & Jäger 200	01
	,	nthonotozomellidae
rauscherti	(Antarctodes) Coleman & Kauffeldt 2001	Ochlesidae
reoproi	(Epimeria) Lörz & Coleman 2001	Epimeridae
rickeri	(Allorchestes) Hendrycks & Bousfield 2001	_
rudolphi	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
ruffoi	(Parhyalella) Lazo-Wasem & Gable 2001	Hyalellidae
saltuaris	(Stygobromus) Wang & Holsinger 2001	Crangonyctidae
	(27, 5001011100) 11 alig at 11010111501 2001	

sanchezi	(Miramarassa) Ortiz, Lala	Aristiidae	
shoemakeri (Hoplopheonoides) Ortiz, Lalana &			
	Sanch	ez-Diaz 2000	Cyproideidae
simplex	(Stygobromus) Wang & H	Crangonyctidae	
singularis	(Caprellinoides) Guerra-G	Phtisicidae	
slatteryi	(Anisogammarus) Bousfie	Anisogammaridae	
spinitelson	(Wildus) Lyons & My	ers 1993	Phoxocephalidae
staudei	(Apolochus) Hoover & Bo	ousfield 2001	Amphilochidae
steelei(Parhyalella) Lazo-Wasem & Gable 2001		Hyalellidae	
takamodo	(Cerapopsis) Menioui & N	Myers 2001	Isaeidae
takeuchii	(Caprella) Guerra-Garcia,	Sanchez-Moyano	&
	Garcia	-Gomez 2001	Caprellidae
trinus (Styg	obromus) Wang & Holsing	ger 2001	Crangonyctidae
trymi	(Stegocephalina) Berge	2001	Stegocephalidae
tzvetkovae	(Anisogammarus) Bousfie	eld 2001	Anisogammaridae
utahensis	(Stygobromus) Wang & Holsinger 2001		Crangonyctidae
urospinatus (Stygobromus) Wang & Holsinger 2001		Crangonyctidae	
wahkeenens	is (Stygobromus) Wang &	Holsinger 2001	Crangonyctidae
wallisae	(Birubius) Taylor & Poo	ore 2001	Phoxocephalidae
wardi (Styg	obromus) Wang & Holsing	ger 2001	Crangonyctidae
wilsoni	(Bactrurus) Koenemann	& Holsinger 2001	Crangonyctidae
wilsoni	(Birubius) Taylor & Poo	ore 2001	Phoxocephalidae
wimi	(Metandania) Berge	2001	Stegocephalidae
wollongong	(Andaniotes) Berge	2001	Stegocephalidae
youngi	(Hyale) Serejo	2001	Hyalidae

B. Systematic index to new amphipod genera and species in AN 23

This list covers all taxa indexed in AN 23, and follows similar indexes for AN 11-19 (in AN19, pp 37-51), AN 20, AN 21 and AN 22.

The rationale for my use of family names, for which there is as yet little agreement among taxonomists, has been spelled out in AN 21; it is entirely practical. here I have, however, split the Caprellidea and Lysianassoidea (but not the Eusiroidea and Hyperiidea) into their constituent families.

Technical details: new taxa are written in capitals, '(rev.)' stands for older genera and species that have been revived, ssp stands for a taxon described with the rank of subspecies. new species are indexed in the genus in which they were

originally described, even when transferred to a different genus by a later author in AN 22.

A question mark before a genus name signifies that the family is somewhat uncertain; a question mark before a species name, that the genus is uncertain.

Acanthonotozomellidae

Acanthonotozomella RAUSCHERTI

Ampeliscidae

Ampelisca NASHAENSIS

Amphilochidae

Amphilochus ASCIDICOLA APOLOCHUS BARNARDI, STAUDEI Gitana ELLISI HOURSTONIUS

Anisogammaridae

Anisogammarus AMCHITKANA, EPISTOMUS, SLATTERYI, TZVETKOVAE

Aoridae

Aoroides LONGIMERUS

Aristiidae

MIRAMARASSA SANCHEZI

Caprellidae

Caprella MONAI, PARAMITIS, TAKEUCHII

cheirocratids

Hornellia DENTOCOXA

Crangonyctidae

Bactrurus ANGULUS, CELLULANUS, PSEUDOMUCRONATUS, WILSONI

Stygobromus BLINNI, BOULTONI, CHERYLAE, COWANI, CURROAE, DUPLUS, FONTINALIS, GALLAWAYAE, GLACIALIS, HERBSTI, HYPORHEICUS, IDAHOENSIS, IMPERIALIS, INTERSTIALIS, JEMEZENSIS, LANENSIS, LATUS, LIMBUS, MYERSAE, RALLUS, RUDOLPHI, SALTUARIS, SIMPLEX, TRINUS, UTAHENSIS, UROSPINATUS, WAHKEENENSIS, WARDI

Cyprodeidae

Hoplopheonoides SHOEMAKERI

Epimeridae

Epimeria reoproi

Hyalellidae

Allorchestes PRICEAE, RICKERI

EXHYALELLA

MARINOHYALELLA HARTMANNI

Parhyalella BARNARDI, KUNKELI, NISBETAE, RUFFOI, STEELEI

Hyalidae

Hyale YOUNGI

Ingolfiellidae

Ingolfiella BEATRICIS

Isaeidae

Cerapopsis TAKAMODO

Liljeborgiidae

Listriella ANDRESI

Megaluropidae

Megaluropus AQABAENSIS

Melitidae

Maeracoota GALANI

OTHOMAERA

ZYGOMAERA

Niphargidae

Niphargus BILJANAE, GROEHNI, pecarensis OCCULTUS

Ochlesidae

Antarctodes RAUSCHERTI

Phoxocephalidae

Birubius DRUMMONDAE, HEISSLERI, LOWRYI, WALLISAE,

WILSONI

Metharpinia PROTUBERANTIS

PARAFOXIPHALUS LONGICARPUS

Wildus SPINITELSON

Phtisicidae

Caprellinoides SINGULARIS

Stegocephalidae

NB ANDANIEXINAE, ANDANIOPSINAE, BATHYSTEGOCEPHALINAE, PARANDANIINAE

ALANIA

Andaniexis AMERICANA, GLORIOSA, PELAGICA

Andaniopsis AFRICANA

Andaniotes ABYSSORUM (rev.), LOWRYI, POOH, POOREI, PSEUDOLINEARIS, WOLLONGONG

AUSTROCEPHALOIDES

AUSTROPHIPPSIA

BOUSCEPHALUS

GORDANIA

MEDITEREXIS

METANDANIA (rev.) WIMI

PSEUDO

SCHELLENBERGIA

Stegocephalina TRYMI

Stegocephaloides BOXSHALLI, CALYPSONIS, LEDOYERI

STEGOMORPHIA

STEGONOMADIA

Stegosoladidas ANTARCTICUS, COMPLEX, DEBROYERI,

Talitridae

Chelorchestia FORCEPS

Uristidae

Anonyx ABEI, OMORII

Urothoidae

Carangolia BARNARDI

AN 23--AMPHIPOD LITERATURE DATA 2001-2002

Wim Vader January 2002

ABJORNSSON, K., J.DAHL, P. NYSTRÖM & C. BRONMARK 2000.

Influence of predator and dietary chemical cues on the behaviour and shredding efficiency of *Gammarus pulex. ---- Aquatic Ecology 34*, 379-387.

ADAMI, M.L. & S. GORDILLO 1999. Structure and dynamics of the biota associated with *Macrocystis pyrifera* (Phaeophyta) from the Beagle Channel, Tierra del Fuego. ---- *Scientia Marina 63*, Suppl. 1, 183-191.

ADLEM, L.T. & B.V. TIMMS 2000. Biogeography of the freshwater Peracarida (Crustacea) from Barrington Tops, NSW. ---- *Proceedings of the Linnean Society of New South Wales 122*, 131-144. (Not seen).

ALBERTSSON, J. & K. LEONARDSSON 2001. Deposit-feeding amphipods (*Monoporeia affinis*) reduce the recruitment of copepod nauplii from benthic resting eggs in the northern Baltic Sea. ---- *Marine Biology, Berlin 138*, 793-801.

ALONSO DE PINA, G.M.2001. Two new phoxocephalids (Crustacea: Amphipoda: Phoxocephalidae) from the south-west Atlantic. ---- *Journal of Natural History 35*, 515-537. (Deals with *Parafoxiphalus longicarpus* n.gen, n.sp. and *Metharpinia protuberantis* n. sp. (both from Peninsula Valdez, Chubut, Argentina).)

ANDERSSON, B.S., J.W.HURST, B.M.PHILLIPS, R. FAIREY, C.A.ROBERTS, J.M.OAKDEN, H.M.PUCKETT, M. STEPHENSON, R.S.TJEERDEMA, E.R.LONG, C.J.WILSON & J.M.LYONS 2001. Sediment quality in Los Angeles Harbor, USA: A triad assessment. ---- *Environmental Toxicology & Chemistry 20*, 359-370. (Amphipod toxicity tests)

ARMONIES, W., E. HERRE & M. STURM 2001. Effects of the severe winter 1995/96 on the benthic macrofauna of the Wadden Sea and the coastal North Sea near the island of Sylt. ---- *Helgoland Marine Research 55*, 170-175. (Especially *Bathyporeia* spp and *Urothoe poseidonis* decreased sharply.)

AYON, D.P. & F.K.ARONES 1997. (Zooplankton and ichthyoplankton communities in front of Peruvian north-central coast. Cruise RV Humboldt 9705-06.) ---- *Inf. Inst. Mar Peru 128*, 70-79. (In Spanish, not seen. *Pronoe capito* and *Microphasma* sp. new to the area)

BACHMANN, V., J.N.BEISEL, P. USSEGLIO-POLATERA & J.C.MORETEAU 2001. Decline of *Dreissena polymorpha* in the river Moselle: biotic and abiotic key factors involved in dynamics of invasive species. ----*Archiv für Hydrobiologie 151*, 263-281. (Concerns i.a. *Corophium curvispinum*)

BACHMANN, V., P. USSEGLIO-POLATERA, E. CEGIELKA, P. WAGNER, J.F.POINSAINT & J.C. MORETEAU 1997. Premières observations sur la coexistence de *Dreissena polymorpha, Corophium curvispinum* et *Corbicula* spp dans la rivière Moselle. ---- *Bulletin Française de Peche et Pisciculture* 344/345, 373-384.

BALDINGER, A.J. 2001. An additional record of *Podocerus chelonophilus* (Chevreux & De Guerne, 1888) (Crustacea: Amphipoda: Podoceridae) from a sea turtle off the coast of Ecuador. ---- *Polish Archives of Hydrobiology 47*, 441-455.

BARRIOS, J. & A. LEMUS 2000. (Structure and dynamics of the community associated to cultivated *Gracilariopsis tenuifrons* (Gracilariaceae) in Chacopata, Sucre, Venezuela. I. Faunistic inventory.) ---- *Revista de Biologia Tropical 48*, Suppl.1, 137-143. (In Spanish. *Ericthonius brasiliensis* is a problem because of its massive tube building.)

BAT, L., M. AKBULUT, M. SEZGIN & M. CULHA 2001. On the occurrence of *Niphargus valachicus* Dobreanu & Manolache, 1933 (Amphipoda, Gammaridae) in the western Black Sea region of Turkey. ---- *Turkish Journal of Zoology 25*, 235-239. (New to Turkey, in Sinop vilayet)

BAUER, A., S. TROUVE, A. GREGOIRE, L. BOLLACHE & F. CEZILLY 2000. Differential influence of *Pomphorhynchus laevis* (Acanthocephala) on the behaviour of native and invader gammarid species. ---- *International Journal for Parasitology 30*, 1453-1457. (*Gammarus pulex*, here native, and *G. roeselii*, here invading. Infected *pulex* is strongly photophilic, infected *roeselii* not at all!)

BELL, S.S., R.A.BROOKS, B.D.ROBBINS, M.S.FONSECA & M.D.HALL 2001. Faunal response to fragmentation in seagrass habitats: Implications for seagrass conservation. ---- *Biological Conservation* 100, 115-123.

BEREZIN, N.A., V.V.KHLEBOVICH, V.E.PONOV & N.V.ZAPAOROZHETS 2001. (Salinity tolerance of the amphipod *Gmelinoides fasciatus* (Stebb.), introduced into the gulf of Finland (Baltic Sea.) ---- *Doklady Akademii Nauk* 379, 366-368. (In Russian, not seen)

BERGE, J. 2001. Revision of *Stegosoladidas* Barnard and Karaman, 1987 (Crustacea: Amphipoda: Stegocephalidae), redescription of two species and description of three new species. ---- *Journal of Natural History 35*, 539-571. (Deals with *S. simplex, S. antarcticus* n.sp. (75*26'S, 16*27'W), *S. complex* n.sp. (38*18'S, 149*11'E), *S. debroyeri* n.sp. (same locality as *S. antarcticus*), and *S. ingens* (transferred from *Andaniotes*). The paper also contains remarks

on the classification of setae, and on their arrangement on mx1 and 2 and mxpd.)

BERGE, J. 2001. Revision of the amphipod (Crustacea: Stegocephalidae) genera *Andaniotes* Stebbing, 1897 and *Metandania* Stephensen, 1925. ______ *Journal of Natural History* 35, 787-832. (Deals with *Andaniotes abyssorum* (revived), *A. corpulentus*, *A. linearis*, *A. lowryi* n.sp. (Tasmania), *A. pooh* n.sp. (Eastern Subantarctic region), *A. poorei* n.sp. (42*S, 148*E), *A. pseudolinearis* n.sp. (Antarctic, 66-73*S), *A. wallaroo*, *A. wollongong* n.sp. (34*S, 151*E), and *Metandania islandica*. The genus *Metandania* was long considered to be a junior synonym of *Andaniotes*.)

BERGE, J. 2001. Description of two new species of Stegocephalidae (Crustacea, Amphipoda): *Metandania wimi* and *Stegocephalina trymi*. ---- *Sarsia 86*, 213-220. (*Metandania wimi* n.sp. from 66*37'N, 25*23'W, *Stegocephalina trymi* n.sp. from 34*20'S, 23*30'W.)

BERGE, J., G. BOXSHALL & W. VADER 2001. Phylogenetic evolution of the Amphipoda, with special emphasis on the origin of the Stegocephalidae. ----*Polish Archives of Hydrobiology 47*, 379-400. (A hotly discussed paper in Heraklion! The Stegocephalidae are closest to the Lysianassoidea.. There seems to be little reason to retain the suborders Caprellidea and Hyperiidea.)

BERGE, J. & W. VADER 2001. North Pacific species of the amphipod (Crustacea) family Stegocephalidae, with description of one new species and redescription of another. ---- *Journal of Natural History 35*, 985-1000. (Deals with *Phippsiella cascadiensis*, *Stegocephalexia penelope*, *Stegocephalopsis ampulla*, *S. mamillidacta*, and *Stegocephalus beringi* n.sp. (=*Phippsiella similis* s. Oldevig, 1959 pp). A key to all N.Pacific species is provided.)

BERGE, J. & W. VADER 2001. Revision of the amphipod (Crustacea) family Stegocephalidae. --- Zoological Journal of the Linnaean Society 133, 531-592. (This is the final paper in Berge's comprehensive revision of the family. The 100 species are divided into five subfamilies as follows: Andaniexinae n. subfam., with Andaniexis (12 spp), Andaniotes (11 spp), Glorandaniotes (5 spp, transf. from Andaniexis), Mediterexis n. gen. (type and only species Andaniexis mimonectes), Metandania Stephensen (rev., 2 spp), Parandaniexis (6 spp, pp transf. from *Andaniexis*) and *Stegosoladidus* (5 spp). The subfamily Andaniopsinae n. subfam. contains *Andaniopsis* (3 spp, with *Andaniella* as a junior synonym), and Steleuthera (2 spp, one transf. from Andaniopsis). The Bathystegocephalinae n. subfam. are monotypic, as are the Parandaniinae n. subfam. (as Euandania is synonymized with Parandania). Finally, the Stegocephalinae contain Alania n.gen.(type Stegocephaloides calypsonis, with 3 spp, 2 of which are transferred from Stegocephalus), Austrocephaloides n. gen. (type Stegocephaloides australis, with 7 spp, all transf. from Stegocephaloides), Austrophippsia n.gen. (monotypic, type Phippsia unihamata), Bouscephalus n.gen. (monotypic, type Stegocephalopsis mamillidacta), Gordania n. gen. (type Phippsiella minima, 2 spp, transf. from Phippsiella), Phippsia (2 spp), Pseudo n.gen. (type Phippsiella pseudophippsia, 3 spp, all transf. from Phippsiella), Schellenbergia n. gen. (type Stegocephaloides vanhoeffeni, further sp. S. pacifica), Stegocephalexia (monotypic), Stegocephalina (4 spp; Stegophippsiella is a junior synonym), Stegocephaloides (now with only 5 spp), Stegocephalus (with Phippsiella and Stegocephalopsis as junior synonyms; with 9 spp), Stegomorphia n.sp. (monotypic, type *Phippsiella watlingi*), Stegonomadia n. gen. (type Stegocephalina biofar; 3 spp, all transf. from Stegocephalina), and Tetradeion

(5 spp). An extensive discussion, as well as keys and zoogeographic data, are provided.)

BERGE, J., W. VADER & A. GALAN 2001. Type material of Stegocephalidae Dana, 1855 (Crustacea, Amphipoda) in the collections of The Natural History Museum, London, including the description of seven new species. ---- Bulletin of the Natural History Museum, London (Zoology) 67, 109-136. (Deals with Andaniexis australis, A. americana n.sp. (10*13'S, 80*05'W), A. gloriosa n.sp. (Madagascar), A. pelagica n.sp. (Cape Basin), Andaniopsis africana n.sp. (Cape Basin), Bathystegocephalus globosus, Phippsiella rostrata, Stegocephaloides attingens, S. australis, S. calypsonis n.sp. (10*38'N, 65*32'W), S. boxshalli n.sp. (off Cape Point, S.Afr.), and S. ledoyeri n.sp. (27*59'S, 32*41'E).)

BIANCHI, Th.S., B. JOHANSSON & R. ELMGREN 2000. Breakdown of phytoplankton pigments in Baltic sediments: effects of anoxia and loss of deposit-feeding macrofauna. ---- *Journal of Experimental Marine Biology & Ecology 251*, 161-183. (Mostly *Monoporeia affinis*)

BLUHM, B. 2001. Age determination in polar Crustacea using the autofluorescent pigment lipofuscin. ---- *Berichte zur Polar- und Meeresforschung 382*, 1-127. (Many data on Amph., especially *Waldeckia obesa.*)

BLUHM, B.A., TH. BERG & M. KLAGES, 2001. The autofluorescent age pigment lipofuscin: key to age, growth and productivity of the Antarctic amphipod *Waldeckia obesa* (Chevreux, 1900). ---- *Journal of Experimental Marine Biology and Ecology 258*, 215-235.

BLUHM, B.A., TH. BREY, M. KLAGES & W.E.ARNTZ 2001. Occurrence of the autofluorescent pigment, lipofuscin, in polar crustaceans and its potential as an age marker. ---- *Polar Biology 24*, 642-649.

BORGA, K., G.W.GABRIELSEN & J.U.SKAARE 2001. Biomagnification of organochlorines along a Barents Sea food chain. ---- *Environmental Pollution* 113, 187-198. (Organochlorines in i.a. *Parathemisto libellula*.)

(BOUSFIELD, E.) 2001. Norma Eleanor Jarrett, 1931-2001: A tribute. ---- *Amphipacifica 3* (1), 1 (with list of publications)

BOUSFIELD, E.L. 2001. The amphipod genus *Anisogammarus* (Gammaroidea: Anisogammaridae) on the Pacific coast of North America. ---- *Amphipacifica 3* (1), 29-48. (Deals with *Anisogammarus p. pugettensis, A. p. dybovskyi, A. slatteryi* n.sp. (Br. Col., Vancouver isl.), *A. epistomus* n.sp. (Br. Col., Vancouver isl.), *A. amchitkana* n.sp. (Amchitka, Aleutians), *A. tzvetkovae* n.sp. (= *A. possjeticus* s. Tzvetkova, 1975 from Peter-the-Great Bay. NE Russia), and *Barrowgammarus macginitiei*.)

BOUSFIELD, E.L. 2001. An updated commentary on phyletic classification of the amphipod Crustacea and its applicability to the North American fauna. ---
Amphipacifica 3 (1), 49-119. (This paper reviews Bousfield's ideas about the phyletic classification of the amphipods, and extensively discusses a number of interesting characters, both morphological and behavioural. Table I (p. 67) gives a revised phyletic classification at superorder level, while appendix 1 (pp 75-119) furnishes a most welcome checklist of all American amphipods.)

BOUSFIELD, E.L. 2001. Biogeographical analysis of gammaridean amphipod faunas based on their phyletic classification. ---- *Polish Archives of Hydrobiology 47*, 335-351. (This tour de force is an analysis of N.American amphipod faunas, with Mediterranean, Antarctic and Japanese faunas as comparison.)

BOWDEN, D.A., A.A.ROWDEN & M.J.ATTRILL 2001. Effect of patch size and in-patch location on the infaunal macroinvertebrate assemblages of *Zostera marina* seagrass beds. ---- *Journal of Experimental Marine Biology and Ecology 259*, 133-154. (A study from Scilly Isl., SW England. Many Amphipoda)

BRANDT, A. 2001. Great differences in peracarid crustacean density between the Arctic and Antarctic deep seas. ---- *Polar Biology 24*, 785-689. (Density 1 magnitude higher in Arctic)

BRANDT, A. 2000. Hypotheses on Southern Ocean peracarid evolution and radiation (Crustacea, Malacostraca). ---- *Antarctic Science* 12, 269-275.

BREITHOLZ, M., C. HILL & B-E. BENGTSSON 2001. Toxic substances and reproductive disorder in Baltic fish and crustaceans. ---- *Ambio 30*, 210-216. (Many data on *Monoporeia affinis*.)

BRIX, K.V., D.G.HENDERSON, W.J.ADAMS, R.J.REASH, R.G.CARLTON & D.D.McINTYRE 2001. Acute toxicity of sodium selenate to two daphniids and three amphipods. ---- *Environmental Toxicology 16*, 142-150. (*Gammarus pseudolimnaeus, G. lacustris* and *Hyalella azteca*.)

BROOKS, R.A. & S.S.BELL 2001. Mobile corridors in marine landscapes: Enhancement of faunal exchanges at seagrass/sand ecotones. ---- *Journal of Experimental Marine Biology & Ecology 264*, 67-84. (A study on 14 amphipod species.)

BUND, W.J. van der, E.J.OLAFSSON, H. MODIG & R. ELMGREN 2001. Effects of the coexisting Baltic amphipods *Monoporeia affinis* and *Pontoporeia femorata* on the fate of a simulated spring diatom bloom. ---- *Marine Ecology Progress Series 212*, 107-115.

BURGOS, M.G. & P.S.RAINBOW 2001. Availability of cadmium and zinc from sewage sludge to the flounder, *Platichthys flesus*, via a marine food chain. ---- *Marine Environment Research 51*, 417-439. (i.e. via *Corophium volutator*)

CANIVET, V., P. CHAMBON & J. GIBERT 2001. Toxicity and bioaccumulation of arsenic and chromium in epigean and hypogean freshwater macroinvertebrates. ---- *Archives of Environmental Contamination and Toxicology 40*, 345-354. (i.a. *Gammarus fossarum* and *Niphargus rhenorhodanensis*.)

CARDOSO, R.S. & V.G.VELOSO 2001. Embryonic development and reproductive strategy of *Pseudorchestoidea brasiliensis* (Amphipoda: Talitridae) at Prainha Beach, Brazil. ---- *Journal of Natural History 35*, 201-211.

CARTES, J.E., M. ELIZALDA & J.C.SORBE 2001. Contrasting life histories, secondary production, and trophic structure of peracarid assemblages of the bathyal suprabenthos from the Bay of Biscay (NE Atlantic) and the Catalan Sea

(NW Mediterranean). ---- Deep-Sea Research I 48, 2209-2232. (Many data on Rhachotropis caeca.)

CARTES, J.E., F. MAYNOU, N.B. MORALES, E. MASSUTI & J. MORANTA 2001. Trophic structure of a bathyal bentho-pelagic boundary layer community south of the Balearic Islands (southwestern Mediterranean). --- Marine Ecology Progress Series 215, 23-35.

CHARFI-CHEIKHROUHA, F., M. EL GTARI & M.F.BOUSLAMA 2001. Distribution and reproduction of two sandhoppers, *Talitrus saltator* and *Talorchestia brito* from Zouaraa beach-dune system (Tunisia). ---- *Polish Archives of Hydrobiology* 47, 621-629.

CHAVANICH, S. & K.A.WILSON 2000. Rocky intertidal zonation of gammaridean amphipods in Long Island Sound, Connecticut. ---- *Crustaceana* 73, 835-846.

CHEN, Q-ch, B-y CHEN & G-x. ZHANG 1978. (Pelagic amphipods in the vicinity of the Xisha islands and Zongsha islands.) ---- ????, 229-260. (In Chinese, ref. most incomplete. 49 spp treated.)

CHEN, R-x 1978. (A preliminary study of the Hyperiidea (Amphipoda) in the coastal waters of South-East China sea.) ---- ????, 68-96. (In Chinese, ref. incomplete. 13 spp)

CHRISTIANSEN, B. & B. MARTIN 2000. Observations on deep-sea benthopelagic nekton at two stations in the northern Arabian Sea: links to

organic matter supply? ---- Deep-Sea Research.2. Topical Studies in Oceanography 47, 3027-3038. (Eurythenes gryllus dominant in traps).

COLEMAN, C.O. & I. JÄGER 2001. *Acanthonotozomella rauscherti* (Amphipoda: Acanthonotozomellidae), a new species from the Antarctic Ocean. ---- *Journal of Crustacean Biology 21*, 475-483. (Drake Passage, 1000 m).

COLEMAN, C.O. & J. KAUFFELDT 2001. *Antarctodes rauscherti*, a new species (Crustacea: Ochlesidae) from the Antarctic Ocean. ---- *Proceedings of the Biological Society of Washington 114*, 427-434. (from 73*37'S, 22*25'W)

COLEMAN, C.O. & A.A.MYERS 2001. New Amphipoda from Baltic amber. --- Polish Archives of Hydrobiology 47, 457-464. (Deals with Niphargus
(Phaenogammarus) groehni n.sp. from Poland and Palaeogammarus sp..)

COSTA, F.O. & M.H.COSTA 2001. Review of the ecology of *Gammarus* locusta (L.). ---- Polish Archives of Hydrobiology 47, 541-559.

CRUZ-RIVERA, E. & M.E.HAY 2001. Macroalgal traits and the feeding and fitness of an herbivorous amphipod: the roles of selectivity, mixing, and compensation. ---- *Marine Ecology Progress Series 218*, 249-266. (The amphipod is *Ampithoe longimana*)

CYWINSKA, A., D. CRUMP & D. LEON 2000. Influence of UV radiation on four freshwater invertebrates. ---- *Photochemistry & Photobiology* 72, 652-659. (i.a. *Hyalella azteca*)

DALPADADO, P., N. BORKNER, B. BOGSTAD & S. MEHL 2001. Distribution of *Themisto* (Amphipoda) spp in the Barents Sea and predator-prey interactions. ---- *ICES Journal of Marine Sciences 58*, 876-895. (*Th. abyssorum* and *Th. libellula*.)

DARNAUDE, A.M., M.L. HARMELIN-VIVIEN & C. SALEN-PICARD 2001. Food partitioning among flatfish (Pisces: Pleuronectiformes) juveniles in a Mediterranean coastal shallow sandy area. ---- *Journal of the Marine Biological Association UK 81*, 119-127. (NW Mediterranean)

DAUBY, P., Y. SCAILTEUR & C DE BROYER 2001. Trophic diversity within the eastern Weddell sea amphipod community. ---- *Hydrobiology 443*, 69-86. (An important paper, furnishing much new biological data material.)

DAUVIN, J. Cl. & J. CARBON 1999. Variabilité temporelle de la diversité des peuplements de sediments fins de la Baie de Morlaix. ---- *Oceanis 25*, 343-375 (Not seen)

DE BROYER, C., P.-A. DUCHESNE, Ch v.d. LINDEN, F.v.ROOZENDAEL, K. JAZDZEWSKI, J. SICINSKI, C. JOMAR, G. CHAPELLE, P. DAUBY, Th. KUYKEN, F. NIJSSEN & H. ROBERT 2001. Ant'phipoda', the biodiversity reference centre for Antarctic Amphipoda: A tool for developing and managing Antarctic marine biodiversity information. ---- *Polish Archives of Hydrobiology* 47, 657-669.

DE BROYER, C., Y. SCAILTEUR, G. CHAPELLE & M. RAUSCHERT 2001. Diversity of epibenthic habitats of gammaridean amphipods in the eastern

Weddell Sea. ---- Polar Biology 24, 744-753. (Much important biological information!)

DE MATTHAEIS, E., V. KETMAIER, D. DAVOLOS & P.J.SCHEMBRI 2001. Patterns of genetic diversity in Mediterranean supralittoral amphipods (Crustacea, Amphipoda). ---- Polish Archives of Hydrobiology 47, 473-487. (Talitrus saltator and Talorchestia deshayesii.)

DE PIRRO, M., P. CALOSI, A. UGOLINI & G. CHELAZZI 1999.

Optoelectronic recording of cardiac activity in the Mediterranean sandhopper Talitrus saltator. ----Proceedings 34th European Marine Biology Symposium, Ponto Delgada, Azores, 143 (Abstract only)

DEVIN, S., J-N. BEISEL, V. BACHMANN & J-C. MORETEAU 2001. Dikerogammarus villosus (Amphipoda: Gammaridae): another invasive species newly established in the Moselle river and French hydrosystems. ---- Annales de Limnologie 37, 21-27.

DEZFULI, B.S., L. GIARI & R. POULIN 2001. Costs of intraspecific and interspecific host sharing in acanthocephalan cystacanths. ---- *Parasitology* 122, 483-489. (in *Echinogammarus stammeri*)

DICK, J.T.A., C. MacNEIL & R. ANDERSSON 1999. The distribution of *Crangonyx pseudogracilis* Bousfield, 1958 (Crustacea: Amphipoda) in Northern Ireland, with notes on its ecology and behaviour. ---- *Irish Naturalists Journal* 26, 236-240.

DUMBAULD, B.D., K.M.BROOKS & M.H.POSEY 2001. Response of an estuarine benthic community to application of the pesticide carbaryl and

cultivation of Pacific Oysters (*Crassostrea gigas*) in Willapa Bay, Washington. --- *Marine Pollution Bulletin 42*, 826-844. (Data on i.a. *Ampithoe valida*, *Corophium acherusicum* and *Eohaustorius arenarius*.)

EATON, L. 2001. Development and validation of biocriteria using benthic macroinvertebrates for North Carolina estuarine waters. ---- *Marine Pollution Bulletin 42*, 23-30. (i.a. 'Number of amphipod and shrimp taxa'.)

EJDUNG, G. & R. ELMGREN 2001. Predation by the benthic isopod *Saduria entomon* on two Baltic Sea deposit feeders, the amphipod *Monoporeia affinis* and the bivalve *Macoma balthica*. ---- *Journal of Experimental Marine Biology* & *Ecology* 266, 165-179.

EL GTARI, M., F. CHARFI-CHEIKHROUHA, G. MARCHETTI & F. SCAPINI 2001. Behavioural adaptation of *Talitrus saltator* populations to beaches with different dynamics and degree of human disturbance along Tunisisan coasts. ---- *Polish Archives of Hydrobiology* 47, 643-650.

ELMGREN, R., G. EJDUNG & S.ANKER 2001. Intraspecific food competition in the deposit-feeding benthic amphipod *Monoporeia affinis* –a laboratory study. ---- *Marine Ecology Progress Series 210*, 185-193.

ENGLISCH, U. & S. KOENEMANN 2001. Preliminary phylogenetic analysis of selected subterranean amphipod crustaceans, using small subunit rDNA gene sequences. ---- *Organisms, Diversity & Evolution 1*, 139-145. (A study of the genus *Bactrurus*.)

ERNST, W., P. JACKMAN, K. DOE, F. PAGES, G. JULIEN, K. MACKLEY & T. SUTHERLAND 2001. Dispersion and toxicity to non-target aquatic organisms of pesticides used to treat sea lice on salmon in net pen enclosures. - --- Marine Pollution Bulletin 42, 433-444. (i.a. Amphiporeia virginiana, Gammarus spp and Eohaustorius estuarius.)

FALK-PETERSEN, S., H. HOP, W.P.BUDGELL, E.N.HEGSETH, R. KORSNES, T.B.LØYNING, J.B.ØRBÆK, T. KAWAMURA & K. SHIRASAWA 2000. Physical and ecological processes in the marginal ice zone of the northern Barents Sea during the summer melt period. ---- *Journal of Marine Systems* 27, 131-159.

FELTEN, V. & F. GUEROLD 2001. Hyperventilation and loss of hemolymph Na+ and Cl- in the freshwater amphipod *Gammarus fossarum* exposed to acid stress: A preliminary study. ---- *Diseases of Aquatic Organisms 45*, 77-80.

FENWICK, G. 2001. The freshwater Amphipoda (Crustacea) of New Zealand: A review. ---- *Journal of Royal Society of New Zealand 31*, 341-363. (An extremely useful review of present knowledge of this diverse and still understudied group of organisms.)

FERNANDEZ-LABORANS, G. 2001. A review of the species of protozoan epibionts on crustaceans.III. Chonotrich ciliates. ---- *Crustaceana* 74, 581-607.

FINLAYSON, B., R. FUJIMORA & Z.Z.HUANG 2000. Toxicity of metal-contaminated sediments from Keswick Reservoir, California, USA. ---- *Environmental Toxicology & Chemistry 19*, 485-494.

FORD, R.B. & D.M.PATERSON 2001. Behaviour of *Corophium volutator* in still versus flowing water. ---- *Estuarine, Coastal & Shelf Science 52*, 357-362. FORD, R.B., S.F.THRUSH & P.K.PROBERT 2001. The interacting effect of hydrodynamics and organic matter on colonization: A soft-sediment example. -- *Estuarine, Coastal & Shelf Science 52*, 705-714. (*Paracorophium excavatum* on an intertidal sandflat.)

FUCHSMAN, Ph.C., J-C. SFERRA & T.R. BARBER 2000. Three lines of evidence in a sediment toxicity evaluation for hexachlorbutadiene. ---
Environmental Toxicology & Chemistry 19, 2328-2337. (Hyalella azteca and Leptocheirus plumulosus.)

GABLE, M. 2001. Alpha-taxonomy workshop on the world-wide status of Amphipoda. ---- *Polish Archives of Hydrobiology 47*, 681-704. (Contains i.a. tables of recently described Hyperiidea, and a most useful table over pelagic gammarids.)

GALAN, A. 2000. Benthic Amphipoda and Isopoda (Crustacea) from the sublittoral zone off Surtsey and Heimaey south of Iceland. ---- Surtsey Research 11, 89-96 (Twenty-two spp of Amphipoda, among which Gammarellus angulosus, Metopa borealis, M. solsbergi and Jassa pusilla are new to Iceland.)

GASCA, R. & C.T.SHIH 2001. Hypereiid amphipods from surface waters of the western Caribbean Sea (1991). ---- *Crustaceana 74*, 489-499. (58 spp, among which *Lestrigonus bengalensis*, *Eupronoe intermedia* and *Brachyscelus crusculum* were vastly dominant.)

GERBERDING, M. & G. SCHOLTZ 2001. Neurons and glia in the midline of the higher crustaecan *Orchestia cavimana* are generated via an invariant cell lineage that comprises a median neuroblast and glial progenitors. ---
Developmental Biology 235, 397-409.

GERLACH, S.(ed.) 2000. Die Biodiversität in der deutschen Nord- und Ostsee. Band 1. Checkliste der Fauna der Kieler Bucht und eine Bibliographie zur Biologie und Ökologie der Kieler Bucht. ---- Bundesanstalt für Gewässerkunde, Kobelnz, 376 pp.

GOMEZ-GESTEIRA, J.L. & J-C. DAUVIN 2000. Amphipods are good bioindicators of the impact of oil spills on soft-bottom macrobenthic communities. ---- *Marine Pollution Bulletin 40*, 1017-1027.

GRABOW, K., Th.O. EGGERS & A. MARTENS1998. *Dikerogammarus villosus* Sovinsky (Crustacea: Amphipoda) in norddeutschen Kanälen und Flüssen. ---- *Lauterbornia 33*, 103-107.

GRAÇA, M.A.C., C. CRESSA, M.O. GESSNER, M.J.FEIO, K.A.CALLES & C BARRIOS 2001. Food quality, feeding preferences, survival and growth of shredders from temperate and tropical streams. ---- *Freshwater Biology 46*, 947-957. (i.a. *Gammarus pulex*)

GRAEVE, M., P. DAUBY & Y. SCAILTEUR 2001. Combined lipid, fatty acid and digestive tract content analysis: a penetrating approach to estimate feeding modes of Antarctic amphipods. ---- *Polar Biology 24*, 853-862.

GRAY, J.S. 2001. Antarctic marine benthic biodiversity in a world-wide latitudinal context. ---- *Polar Biology 24*, 633-641.

GROSS, M.V., D.S. MAYCOCK, M.C.THORNDYKE, D. MORRITT & M. CRANE 2001. Abnormalities in sexual development of the amphipod *Gammarus pulex* (L.) found below sewage treatment works. ---- *Environmental Toxicology & Chemistry 20*, 1792-179.

GRZUSKA, P. 1999. The river Odra estuary as a gateway for alien species immigration to the Baltic Sea basin. ---- *Acta Hydrochimica et Hydrobiologica* 27, 374-382.

GUERRA-GARCIA, J.M. 2001. A new species of *Caprellinoides* (Crustacea: Amphipoda: Phtisicidae) from the Antarctic. ---- *Helgoland Marine Research* 55, 212-220. (*C. singularis* n.sp. from Branfield Strait, Antarctic. Also *C. mayeri* and *C. tristanensis* are redescribed and illustrated. *C. antarctica* is considered a junior synonym of *C. tristanensis*, and *C. spinosus* of *C. mayeri*.)

GUERRA-GARCIA, J.M. 2001. Habitat use of the Caprellidea (Crustacea: Amphipoda) from Ceuta, North Africa. ---- *Ophelia 55*, 27-38.

GUERRA-GARCIA, J.M., J. CORZO, I. GARCIA-ASENCIO & J.C.GARCIA-GOMEZ 2001. Seasonal fluctuations of *Phtisica marina* Slabber (Crustacea: Amphipoda: Caprellidea) in estuarine zone of southern Spain. ---- *Polish Archives of Hydrobiology* 47, 527-531.

GUERRA-GARCIA, J.M., J.E. SANCHEZ-MOYANO & J.C.GARCIA-GOMEZ 2000. Redescription of *Caprella hirsuta* Mayer, 1890 (Crustacea, Amphipoda,

Caprellidea) from the Strait of Gibraltar. ---- *Miscellania Zoologica, Barcelona* 23, 69-78. (Not seen)

GUERRA-GARCIA, J.M., J.E.SANCHEZ-MOYANO & J.C.GARCIA-GOMEZ 2001. A new species of *Caprella* (Amphipoda, Caprellidea) from Algeciras Bay, Southern Spain. ---- *Crustaceana 74*, 211-219. (*Caprella paramitis* n.sp.)

GUERRA-GARCIA, J., J.E. SANCHEZ-MOYANA & J.C.GARCIA-GOMEZ 2001. Two new hairy species of *Caprella* (Amphipoda) from the Strait of Gibraltar, with a redescription of *Caprella grandimana. ---- Journal of Crustacean Biology 21*, 1014-1030. (Deals with *C. grandimana, C. monai* n.sp. (Ceuta), and *C. takeuchii* n.sp. (Cadiz).)

GUTIERREZ, J, G. PALOMO & O. IRIBARNE 2000. Patterns of abundance and seasonality of polychaetes sheltering in southwestern Atlantic estuarine epibenthic shells beds. ---- *Bulletin of Marine Science 67*, 165-174. (*Corophium insidiosum* co-dominant)

GUTT, J. 2000. Some 'driving forces' structuring communities of the sublittoral Antarctic macrobenthos. ---- *Antarctic Science* 12, 297-313.

HALCROW, K. 2001. Ultrastructural features of the funnel of *Gammarus* oceanicus (Amphipoda). ---- *Journal of Crustacean Biology 21*, 631-639. (The funnel of an amphipod, for those of you as uninformed as me, is part of its gut system.)

HANCOCK, M.A., B.V.TIMMS, J.K.MORTON & B.A.RENSHAW 2000. The structure of the littoral invertebrate communities of the Kosciuszko region lakes

Proceedings of the Linnean Society of New South Wales 122, 69-77. (Not seen)

HÄNNINEN, J. & I. VUORINEN 2001. Macrozoobenthos structure in relation to environmental changes in the Archipelago Sea, northern Baltic Sea. ---- *Boreal Environment Research* 6, 93-105.

HAYS-WARREN, S.T. & W.Z.LIDICKER 2000. Winter aggregations, Dehnel effect, and habitat relations in the Suisun shrew *Sorex ornatus sinuosus*. ---- *Acta Theriologica 45*, 433-442. (Amphipods are the main food of this endangered Californian salt-marsh shrew.)

HEMMINGSEN, W. & K. MacKENZIE 2001. The parasite fauna of the Atlantic Cod, *Gadus morhua* L.. ---- *Advances in Marine Biology 40*, 1-80. (Amph. on p.9)

HENDRYCKS, E.A. & E.L.BOUSFIELD 2001. The amphipod genus *Allorchestes* in the North Pacific region: systematics and distributional ecology. ---- *Amphipacifica 3 (2)*, 3-37. (The family Hyalellidae is discussed and retained, and a key to its genera provided. This paper deals with *Allorchestes carinata*, *A. bellabella*, *A. priceae* n.sp. (SE Alaska), *A. hirsuta*, *A. malleola*, *A. angusta*, *A. rickeri* n.sp. (Oregon), *Hyalella azteca* and *Parhyalella* sp. . A key to *Allorchestes* spp and an extensive phyletic and biogeographic discussion are provided.)

HIWATARI, T., H. MAKI, S. IZAWE, K. KOHATA, H. KOSHIKAWA & M. WATANABE 2001. Susceptibility of the hyalid amphipod *Hyale barbicornis* to water-soluble fractions of fuel oil and a bioremediation-amending agent, Inipol EAP22. ---- *Polish Archives of Hydrobiology 47*, 651-656.

HO, K.T., A. KUHN, M. PELLETIER, F. McGEE, R.M.BURGESS & J.SERBST 2000. Sediment toxicity assessment: Comparison of standard and new testing designs. ---- *Archives of Environmental Contamination & Toxicology 39*, 462-468. (*Ampelisca abdita* tests).

HODGSON, E. & J.I.SPICER 2000. Subunit composition of crustacean haemocyanins are species-specific: Evidence from non-decapod species. ---- *Comparative Biochemistry & Physiology 128A*, 873-888.

HOLST, M., I. STIRLING &K.A.HOBSON 2001. Diet of Ringed Seals (*Phoca hispida*) on the east and west sides of the North Water Polynya, northern Baffin Bay. ---- *Marine Mammal Science 17*, 888-908. (*Themisto libellula* locally dominant prey for immature seals.)

HOOVER, P.M. & E.L. BOUSFIELD 2001. The amphipod superfamily Leucothoidea on the Pacific coast of North America: family Amphilochidae: systematics and distributional ecology. ---- Amphipacifica 3 (1), 3-28. (Deals with Gitana ellisi n.sp. (BC; Vancouver Isl.), Gitanopsis (restricted: G. iseebi is transferred to Afrogitanopsis, see also Hourstonius), Hourstonius n. gen. (type Gitanopsis vilordes + 11), H. vilordes, Amphilochus (restricted, see Apolochus), Apolochus n.gen.(type Amphilochus neapolitanus + 16), A. litoralis (transf. from Amphilochus), A. barnardi n.sp. (= A. neapolitanus s. Barnard, S. Calif.), and A. staudei n.sp. (=A. neapolitanus s. Staude, B. Col.). Keys to all species are provided, and the phyletic reclassification discussed extensively.)

HOP, H., M. POLTERMANN, O.J.LØNNE, S- FALK-PETERSEN, R. KORSNES & W.P.BUDGELL 2000. Ice amphipod distribution relative to ice

density and under-ice topography in the northern Barents Sea. ---- *Polar Biology* 23, 357-367.

HUNT, J.W., B.S.ANDERSON, B.M.PHILLIPS, J. NEWMAN, R.S.TJEERDEMA, R. FAIREY, H.M.PUCKETT, M. STEPHENSON, R.W.SMITH, C.J.WILSON & K.M.TABERSKI 2001. Evaluation and use of sediment toxicity reference sites for statistical comparisons in regional assessments. ---- *Environmental Toxicology & Chemistry 20*, 1266-1275. (*Ampelisca abdita* and *Eohaustorius estuarius*).

HUNT, J.W., B.S. ANDERSON, B.M.PHILLIPS, R.S.TJEERDEMA, K.M.TABERSKI, C.J.WILSON, H.M.PUCKETT, M. STEPHENSON, F. RUSSELL & J. OAKDEN 2001. A large-scale categorization of sites in San Fransisco Bay, USA, based on the sediment quality triad, toxicity identification evaluations, and gradient studies. ---- *Environmental Toxicology & Chemistry* 20, 1252-1265.

HUYS, R. 2001. Splanchnotrophid systematics: A case of polyphyly and taxonomic myopia. ---- *Journal of Crustacean Biology 21*, 106-156. ("The genus *Megallecto* Gotto, 1956 and its type species *M. thirioti* are based on a head fragment of the amphipod *Phrosina semilunata*, erroneously interpreted upside down and back to front.")

INGERSOLL, C.G., C.D.IVEY, E.L.BRUNSON, D.K.HARDESTY & N.A. KEMBLE 2000. Evaluation of toxicity: Whole-sediment versus overlying-water exposures with amphipod *Hyalella azteca. ---- Environmental Toxicology & Chemistry 19*, 2906-2910.

INGERSOLL, C.G., D.D. MacDONALD, N.WANG, J.L.CRANE, L.J. FIELD, P.S. HAVERLAND, N.E. KEMBLE, R.A. LINDSKOOG, C. SEVERN & D.E.SMORONG 2001. Predictions of sediment toxicity using consensus-based freshwater sediment quality guidelines. ---- Archives of Environmental Contamination & Toxicology 41, 8-21. (Hyalella azteca tests)

ISHIMARU, S. & N.NUNOMURA 2001. (Preliminary report on the Gammaridean fauna of Amarahashi, Takaoka, Middle Japan.) ---- ????, 37-41. (In Japanese)

JAMIESON, S.E., G.J.ROBERTSON & H.G.GILCHRIST 2001. Autumn and winter diet of the Long-tailed Duck in the Belcher Islands, Nanavut, Canada. ---- *Waterbirds 24*, 129-132. (Amphipods are dominant food: *Calliopius* laeviusculus in fall, *Ischrocerus anguipes* in winter.)

JANSSEN, F., T. TREUDE & U. WITTE 2000. Scavenger assemblages under differing trophic conditions: A case study in the deep Arabian Sea. ---- Deep-Sea Research 2. Topical Studies in Oceanography 47, 1999-3026. (Eurythenes gryllus co-dominant)

JARAMILLO, E., C. DUARTE & H. CONTRERAS 2000. Sandy beach macroinfauna from the coast of Ancud, Isla de Chiloe, southern Chile. ---- *Revista Chilena de Historia Natural 73*, 771-786. (*Orchestoidea tuberculata* codominant).

JAUME, D. 1991. (Presence of *Echinogammarus sicilianus* (Crustacea: Amphipoda) in the Llevant mountains of Majorca.) ---- *Boll. Soc. Hist. Nat. Balears 34*, 41-50. (In Mallorcan. The validity of the ssp *monomerus* is strongly doubted, while material identified as *E. eisentrauti* from the Llevant mts by

Stock also belongs to *E sicilianus*.)

JAUME, D. 1993. (*The non-aquatic crustaceans from Cabrera.*) ---- Pp 309-322 in J.A.Alvocer, E. Ballesteros & J.J.Fornos (eds). Historia Natural de l'Arxipelag de Cabrera. CSIC-Edit. Moll, Mon. Soc. Hist. Nat. Balears 2. (Deals with i.a. *Pseudoniphargus triasi, Ps. daviui, Psammogammarus burri, Salentinella* sp. and *Bogidiella balearica*.)

JAUME, D. & J-C. SORBE 2001. A new bathyal amphipod from the Bay of Biscay: *Carangolia barnardi*, sp. nov. (Gammaridea: Urothoidae)). ---- *Journal of the Marine Biological Association UK 81*, 49-59.

JAZDZEWSKI, K., C. DE BROYER, M. PUDLARZ & P. DAUBY 2001. Amphipods of a stony beach in the maritime Antarctic. ---- *Polish Archives of Hydrobiology 47*, 569-577. (Seven species found)

JAZDZEWSKI, K. & R. KULICKA 2000. Ein neuer Flohkrebs (Crustacea) in Baltischer Bernstein. ---- *Fossilien 17*, 24-26. (A *Palaeogammarus* sp.)

JECZMIEN, W. & A. SZANIAWSKA 2001. Quantitative studies on *Gammarus* Fabr. genus in Puck Bay (the Baltic Sea). ---- *Polish Archives of Hydrobiology* 47, 561-568.

JØRGENSEN, L.L. & B. GULLIKSEN 2000. Rocky bottom fauna in arctic Kongsfjord (Svalbard) studied by means of suction sampling and photography. --- *Polar Biology 24*, 113-121.

KARAMAN, G.S. 1997. (Fauna of Amphipoda (Crustacea Malacostraca) of

Skadar lake basin and its vicinity.) ---- Zbornik Radove Prirodne Vrijednosti i Zastita Skadarskogo Naucni Skupovi 44, 225-236. (In Serbo-Kroatian. Eighteen taxa in nine genera)

KARAMAN, G.S. 1998. On some interesting gammaridean species (Amphipoda) from Serbia (Yugoslavia) and Slovenia. ---- *Glas. Republ. Zavoda Zast. Prirode-Prirodnjackog Muzeja Podgorica 26* (1993), 31-40. (Deals with *Niphargus minor, N. deelemanae, N. jalzici* and *Orchestia cavimana*.)

KARAMAN, G.S.1998. (New data on Amphipoda fauna (Crustacea Malacostraca) from region of Bor and adjacent regions (Serbia). ---- *Sbornik Radova Ekoloshka Istina*, 235-237. (In Serbo-Kroatian. Deals with *Niphargus ivokaramani*, *N. kragujevencis remus*, and *Orchestia cavimana*.)

KARAMAN, G.S. 1998. New data in gammaridean Amphipoda from Macedonia. ---- *The Montenegrin Academy of Sciences and Arts, Glasnik of the Section of Nat. Sciences 12*, 23-38. (Deals with *Niphargus biljanae* n.sp. (S. of Skopje, Makedonia), *N. jovanovici*, and *Orchestia cavimana*.)

KARAMAN, G.S. 1998. *Niphargus pecarensis* S. & G. Karaman, 1959 and its new subspecies *N.p. occultus* on Balkan. ---- *Glasnik Prirodnjackog Muzeja Beograd 48* (1993/94), 115-132. (*N. pecarensis* from Bulgaria, originally described as a ssp of *N. tauri*, is raised to specific rank. *N.p. occultus* n. ssp is described from near Mratinjc, Montenegro.)

KARAMAN, G.S. 1999. (The endemic Amphipoda species (Crustacea) from Serbia and adjacent regions.) ---- *Zbornik Radova Ekoloska Istina Zajecar*, 166-169. (In Serbo-Kroatian. Eleven endemic spp.: nine *Niphargus*, *Gammarus*

stojicevici and Bogidiella serbica.)

KARAMAN, G.S. 2000. On three interesting subterranean amphipods (Crustacea, Amphipoda) from Balkan peninsula. (Contributions to the knowledge of the Amphipoda 238). ---- *Crnogorska Akademija Nauka i Umjetnosti 13*, 223-236. (Deals with *Niphargus stenopus*, *N. longiflagellum* and *Metohia carinata*.)

KAREZ, R., S. ENGELBERT & U. SOMMER 2000. 'Co-consumption' and 'protective coating': two new proposed effects of epiphytes on their macroalgal hosts in mesograzer-epiphyte-host interactions. ---- *Marine Ecology Progress Series 205*, 85-93. (i.a. *Gammarus locusta*)

KATER, B., A. HANNEWIJK, J. POSTMA & M. DUBBELDAM 2000. Seasonal changes in acute toxicity of cadmium to amphipod *Corophium volutator*. ---- *Environmental Toxicology & Chemistry 19*, 3032- 3035.

KATER, B.J., J.F.POSTMA, M. DUBBELDAM & J.T.H.J.PRINS 2001. Comparison of laboratory and in situ sediment bioassays using *Corophium volutator*. ---- Environmental Toxicology & Chemistry 20, 1291-1295.

KELAHER, B.P., M.G.CHAPMAN & B.J.UNDERWOOD 2001. Spatial patterns of diverse macrofaunal assemblages in coralline turf and their associations with environmental variables. ---- *Journal of the Marine Biological Association UK 81*, 917-930. (A study from NSW, Australia)

KELLY, A., A.M.DUNN & M.J.HATCHER 2001. Population dynamics of a vertically transmitted, parasitic sex ratio distorter and its amphipod host. ----

Oikos 94, 392-402. (Nosema granulosis in Gammarus duebeni)

KEMBLE, N.E., D.G.HARDESTY, C.G.INGERSOLL, B.T.JOHNSON, F.J.DWYER & D.D.McDONALD 2000. An evaluation of the toxicity of contaminated sediments from Waukegan Harbor, Illinois, following remediation. ---- *Archives of Environmental Contamination & Toxicology 39*, 542-461. (*Hyalella azteca*)

KENNEDY, F., E. NAYLOR & E. JARAMILLO 2000. Ontogenetic differences in the circadian locomotor activity rhythm of the talitrid amphipod crustacean, *Orchestoidea tuberculata. ---- Marine Biology, Berlin 137*, 511-517.

KLAGES, M., K. VOPEL, H. BLUHM, TH. BREY, TH. SOLTWEDEL & W.E.ARNTZ 2001. Deep-sea food falls: First observation of a natural event in the Arctic Ocean. ---- *Polar Biology 24*, 292-295. (A *Pasiphaea* carcass at 5550m covered with hundreds of *Uristes* sp.)

KOENEMANN, S. &J.R.HOLSINGER 2001. Systematics of the North American subterranean amphipod genus *Bactrurus* (Crangonyctidae). ----*Beaufortia 51*, 1-56. This nice monograph deals with *Bactrurus brachycaudus*, *B. hubrichti*, *B. mucronatus*, *B. pseudomucronatus* n.sp. (Arkansas), *B. wilsoni* n.sp. (Alabama), *B. angulus* n.sp.(NE Tennessee), and *B. cellulanus* n.sp.
(Indiana). A phylogenetic analysis and an extensive discussion, as well as an identification key, are provided.)

KOENEMANN, S. & J.R.HOLSINGER 2001. Phylogenetic recontruction of the subterranean amphipod genus *Bactrurus* (Crangonyctidae), comparing molecular and morphological data. ---- *Polish Archives of Hydrobiology 47*,

KONOPACKA, A. & M. BLAZEWICS-PASZKOWYCZ 2001. Life history of *Synurella ambulans* (F. Muller, 1846) (Amphipoda, Crangonyctidae) from central Poland. ---- *Polish Archives of Hydrobiology* 47, 597-605.

KOTZE, D.J. & M.J.SAMWAYS 2001. No general edge effects for invertebrates at Afromontane forest/grassland ecotones. ---- *Biodiversity & Conservation 10*, 443-466. (*Talitroides africana* is a distinct edge species)

KRAAY, R., S. CIARELLI, J. TOLLS, B.J.KATER & A. BELFROID 2001. Bioavailability of lab-contaminated and native plycyclic aromatic hydrocarbons to the amphipod *Corophium volutator* relates to chemical desorption. ----*Environmental Toxicology & Chemistry 20*, 1716-1724.

KRAPP-SCHICKEL, T. 2001. Pitfall genus *Maera*. ---- *Polish Archives of Hydrobiology 47*, 413-440. (The old genus *Maera* s.l. is split as follows: *Maera* s.str. (*Cancer grossimanus* + 12, of which *M. tenera* is illustrated here); *Quadrimaera (Gammarus quadrimanus* + 20; a key to the spp is provided); *Othomaera* n.gen. (type *Gammarus othonis*), with *O. othonis, O. knudseni, O. schmidtii, O. thrixa, O. lobata, O. bruzelii* and *O. simplex* (with *Maera komma* as synonym), all transferred from *Maera; Anamaera* with *A. williamsi* (type: *A. hixoni* is a junior synonym); *Zygomaera* n. gen.(type *Maera eugeniae*), with *Z. eugeniae, Z. pfefferi, Z. gloriosa, Z. emarginata* (with *Meximaera sinuosa* and cf *Maera pseudemarginata* as junior synonyms), and *Z. pedonculata*, all transferred from *Maera; Ceradomaera*, with *C. plumulosa; Maeropsis*, with *M. perrieri, ? M. rathbunae, ?M. revelata*; and *Maera* s.l., for those groups and species not yet analysed; a preliminary discussion of these taxa follows. A most

welcome and illuminating paper!)

KRAPP-SCHICKEL, T. & S. RUFFO 2001. A new *Maeracoota* from the Caribbean sea: *Maeracoota galani* n.sp. (Crustacea Amphipoda, Melitidae). ---- *Bollettino del Museo Civico di Storia Naturale di Verona, Botanica Zoologia* 25, 3-8. (*M.galani* n.sp. from the Los Roques Isl., Venezuela. The genus *Maeracoota* clearly also occurs widely in the Indian Ocean.)

KRÖNCKE, I., B. ZEISS & C. RENSING 2001. Long-term variability in macrofauna species composition off the island of Norderney (East Frisia, Germany) in relation to changes in climatic and environmental conditions. ---- *Senckenbergiana Maritima 31*, 65-82.

KUSANO, H. 2000. (Intraspecific variation in life history and reproductive traits of a freshwater anisogammarid, *Jesogammarus jesoensis* (Amphipoda).) -- *Japanese Journal of Limnology 61*, 259-266. (In Japanese, not seen)

LAFFAILLE, P., J.C.LEFEUVRE & E. FEUNTEUN 2000. Impact of sheep grazing on juvenile sea bass, *Dicentrarchus labrax* L., in tidal salt marshes. ---- *Biological Conservation 96*, 271-277. (In grazed areas, the vegetation changes, there is therefore much less *Orchestia*, and thus no food for the bass.)

LAFFAILLE, P., J.C.LEFEUVRE, M.T.SCHRICKE & E. FEUNTEUN 2001. Feeding ecology of 0-group bass, *Dicentrarchus labrax*, in salt marshes of Mont Saint Michel bay (France). ---- *Estuaries 24*, 116-125. (*Orchestia gammarellus* principal prey!)

LAHDES, E., G. BALOGH, E. FODOR & T. FARKAS 2000. Adaptation of

composition and biophysical properties to temperature by the crustacean, *Gammarus* spp. ---- *Lipids 35*, 1093-1098.

LANDRUM, P.F., D.C.GOSSIAUX, T.F.NALEPA & D.L.FANSLOW 2000. Evaluation of lake Michigan sediment for causes of the disappearance of *Diporeia* spp in southern Lake Michigan. ---- *Journal of Great Lakes Research* 26, 402-407. (Local sediment is avoided by the amphipods in tests)

LANDRUM, P.F., E.A.TIGUE, S.K.DRISCOLL, D.C.GASSIAUX, P.L.VAN HOOF, M.L.GEDEON & M.ADLER 2001. Bioaccumulation of PCB congeners by *Diporeia* spp: kinetics and factors affecting bioavailability. ---- *Journal of Great Lakes Research 27*, 117-133.

LARRAIN, A., E. SOTO & E. BAY-SCHMITH 1998. Assessment of sediment toxicity in San Vicente bay, Central Chile, using the amphipod *Ampelisca* araucana. ---- Bulletin of Environmental Contamination & Toxicology 62, 363-369.

LAWRENCE, A.L. & R.P.MASON 2001. Factors controlling the bioaccumulation of mercury and methylmercury by the estuarine amphipod *Leptocheirus plumulosus. ---- Environmental Pollution 111*, 217-231.

LAZO-WASEM, E. & M.F.GABLE 2001. A revision of *Parhyalella* Kunkel (Crustacea: Amphipoda: Gammaridea). ---- *Bulletin of the Peabody Museum of Natural History, Yale University 46*, 1- 80. (This beautiful monograph deals with *Parhyalella batesae, P. whelpleyi, P. pietschmanni, P. congoensis, P. barnardi* n.sp. (Ensenada, Baja Cal., Mexico), *P. kunkeli* n.sp. (Taiwan), *P. nisbetae* n.sp (Nevis, Brit. W. Indies), *P. ruffoi* n.sp.(Paita, Peru), *P. steelei* n.sp. (Nosy Bé, Madagascar); *Exhyalella* Stebbing, 1917 (here revived), *E. natalensis* (type), *E.*

indica (transf. from *Parhyalella*), *E. hartmani* n.sp, (Mahé, Seychelles); *Marinohyalella* n.gen. (type *Hyalella richardi*), and *M.richardi*. The genus *Insula* is suppressed. Keys to all species, and an extensive discussion of the family Hyalidae, are presented.)

LE BOEUF, B.J., M.H.PEREZ-CORTES, R.J.URBAN, B.R.MATE & U.F.OLLERVIDES 2000. High Gray Whale mortality and low recruitment in 1999: potential causes and implications. ---- *Journal of Cetacean Research and Management 2*, 85-99. (Most likely cause is a decline in amphipod densities in Bering and Chukchi Seas, possibly because of changes in water temperature.)

LeCROY, S.E. 2000. An illustrated identification guide to the nearshore marine and estuarine gammaridean Amphipoda of Florida. Vol. 1. Families

Gammaridae, Hadziidae, Isaidae, Melitidae and Oedicerotidae. ---- State of

Florida, Dept of Environmental Protection, Tallahassee, 195 pp (An excellent new identification manual for an area where nothing comparable existed before)

LEPPÄKOSKI, E. & S. OLENIN 2001. The meltdown of biogeographical peculiarities of the Baltic Sea: The interaction of natural and man-made processes. ---- *Ambio 30*, 202-209.

LEWIS, M.A., D.E.WEBER & R.S.STANLEY 2000. Wetland plant seedlings as indicators of near-coastal sediment quality: interspecific variation. ----*Marine Environmental Research 50*, 535-540. (*Ampelisca abdita* as test organism)

LIBERTINI, A. & T. KRAPP-SCHICKEL 2001. Chromosome number and karyotype analysis in eight marine amphipod (Crustacea) species. ---- Polish

Archives of Hydrobiology 47, 465-471.

LIESS, M., O. CHAMPEAU, M. RIDDLE, R. SCHULZ & S. DUQUESNE 2001. Combined effects of ultraviolet-B radiation and food shortage on the sensitivity of the antarctic amphipod *Paramoera walkeri* tocopper. ----*Environmental Toxicology & Chemistry 20*, 2088-2092.

LIMA, M.C.G. de 1996. Hyperiids (Amphipoda: Hyperiidae) from north-northeast coast of Brazil.---- *Nauplius, Rio Grande 4*, 147-160. (With figures of *Lestrigonus bengalensis*.)

LIMA, M.C.G.de & J.L.VALENTIN 2001. New records of Amphipoda Hyperiidea in associations with gelatinous zooplankton. ---- *Hydrobiologia* 448, 229-235. (*Lestrigonus bengalensis* with salps and siphonophores, *Simorhynchotus antennarius* on a siphonophoran.)

LIMA, M.C.G. de & J.L.VALENTIN 2001. Preliminary results to the holistic knowledge of the Amphipoda Hyperiidea faunal composition off the Brazilian coast. ---- *Journal of Plankton Research 23*, 469-480. (Forty spp, including 12 new to Brazilian waters.)

LIPPERT, H., K. IKEN, E. RACHOR & C. WIENCKE 2001. Macrofauna accociated with macroalgae in the Kongsfjord (Spitsbergen). ---- *Polar Biology* 24, 512-522. (Not seen)

LONG, E.R. 2000. Spatial extent of sediment toxicity in US estuaries and marine bays. ---- Environmental Monitoring and Assessment 64, 391-407.

LONG, E.R., C.B.HONG & C.G.SEVERN 2001. Relationships between acute sediment toxicity in laboratory tests and abundance and diversity of benthic infauna in marine sediments: A review. ---- *Environmental Toxicology and Chemistry 20*, 46-60.

LÖRZ, A-N. 2001. Low diversity of spongicolous Amphipoda (Crustacea) observed in the Antarctic autumn. ---- *Organisms, Diversity and Evolution 1*, 133-138.

LÖRZ, A-N. & C.O.COLEMAN 2001. *Epimeria reoproi* n.sp., a new amphipod (Epimeriidae) from the Antarctic. ---- Crustaceana 74, 991-1002. (Type locality 63*00'S, 60*31'W.)

LOTUFO, G.R., J.D.FARRAR, B.M.DUKE & T.S.BRIDGES 2001. DDT toxicity and critical body residue in the amphipod *Leptocheirus plumulosus* in exposures to spiked sediments. ---- *Archives of Environmental Contamination* & *Toxicology 41*, 142-150.

LOTUFO, G.R., J.D. FARRAR, L.S.INOUYE, T.S.BRIDGES & D.B. RINGELBERG 2001. Toxicity of sediment-associated nitroaromatic and cyclonitramine compounds to benthic invertebrates. ---- *Environmental Toxicology & Chemistry 20*, 1762-1771. (*Leptocheirus plumulosus*)

LOTUFO, G.R., P.F. LANDRUM & M.L.GEDEON 2001. Toxicity and bioaccumulation of DDT in freshwater amphipods in exposures to spiked sediments. ---- *Environmental Toxicology & Chemistry 20*, 810-825. (*Hyalella azteca* and *Diporeia* spp.)

LOTUFO, G.R., P.F.LANDRUM, M.L.GEDEON, E.A.TIGUE & L.A.HERCHE 2000. Comparative toxicity and toxicokinetics of DDT and its major metabolites in freshwater amphipods. ---- *Environmental Toxicology & Chemistry 19*, 368-379. (*Hyalella azteca* and *Diporeia* spp)

LOZANO, S.J., J.V. SCHROLD & T.F.NALEPA 2001. Recent declines in benthic macroinvertebrate densities in Lake Ontario. ---- *Canadian Journal of Fisheries and Aquatic Sciences 58*, 518-529. (i.a. *Diporeia* spp, drastically reduced after the ascendance of *Dreissena*.)

LYONS, J. & A.A. MYERS 1993. Amphipoda Gammaridea from coral rubble in the Gulf of Aqaba, Red Sea: families Megaluropidae, Melitidae, Phliantidae, Phoxocephalidae and Urothoidae. ---- Journal of Natural History 27, 575-598. (Inadvertently omitted in earlier AN! Deals with Megaluropus aqabaensis n.sp., Ceradocus? rubromaculatus, Elasmopus hooheno, E. pectenicrus, E. seticarpus, E. steinitzi, Hornellia dentocoxa n.sp., Maera hamigera, Pereionotus alaniphlias, Wildus spinitelson n.sp., and Urothoe elegans.)

LYUBINA, O.S. 2001. (Distribution of Amphipoda Gammaridea in the southern part of the Kara Sea.) ---- *Doklady Akademii Nauk 377* (3), 423-426. (In Russian)

McCURDY, D.G., J.S.BOATES & M.R.FORBES 2001. An empirical model for the optimal timing of reproduction for female amphipods infected by trematodes. ---- *Journal for Parasitology* 87, 24-30. (*Corophium volutator*)

McGEE, B.L. & M. SPENCER 2001. A field-based population model for the sediment toxicity test organism *Leptocheirus plumulosus*. II. Model application.

---- Marine Environmental Research 51, 347-363.

McGEE, B.L., D.A. WRIGHT & D.J.FISHER 1998. Biotic factors modifying acute toxicity of aqueous cadmium to estuarine amphipod *Leptocheirus* plumulosus. ---- Archives of Experimental Contamination and Toxicology 34, 34-40.

MacNEIL, C., J.T.A.DICK, R.W.ELWOOD & W.I.MONTGOMERY 2001. Coexistence among native and introduced freshwater amphipods (Crustacea); habitat utilization patterns in littoral habitats. ---- *Archiv für Hydrobiologie 151*, 591-607. (The native *Gammarus duebeni celticus* vs the invaders *G. pulex, G. tigrinus* and *Crangonyx pseudogracilis*)

MacNEIL, C., W.I.MONTGOMERY, J.T.A.DICK & R.W.ELWOOD 2001. Factors influencing the distribution of native and introduced *Gammarus* spp in Irish river systems. ---- *Archiv für Hydrobiologie 151*, 353-368. (*G. duebeni celticus* vs *G. pulex*)

MANCINELLI, G. & L. ROSSI 2001. Indirect, size-dependent efects of crustacean mesograzers on the Rhodophyta *Gracilaria verrucosa* (Hudson) papenfuss. Evidence from a short-term study in the Lesina lagoon (Italy). ---- *Marine Biology, Berlin 138*, 1163-1173. (i.a. *Gammarus insensibilis*)

MARANHÃO, P., N. BENGALA, M. PARDAL & J.C.MARQUES 2001. The influence of environmental factors on the population dynamics, reproductive biology and productivity of *Echinogammarus marinus* Leach (Amphipoda, Gammaridea) in the Mondayo estuary, Portugal. ---- *Acta Oecologica 22*, 139-152.

MARSDEN.I.D., C.H.T.WAY & N. AL MUDAFFAR 2000. Assessment of an estuarine amphipod (*Paracorophium excavatum*) as a bioindicator of contaminated sediment. ---- *Australasian Journal of Ecotoxicology* 6, 21-30.

MARTENS, A., TH.O.EGGERS & K.GRABOW 1999. Erste Funde von *Pontogammarus robustoides* (Sars) im Mittellandkanal (Crustacea: Amphipoda). ---- *Lauterbornia 35*, 39-42.

MARTIN, A., M. ORTIZ & D. ATIENZA 2000. (A new species of amphipod in the genus *Listriella* (Crustacea, Amphipoda, Liljeborgiidae) from Venezuela.) ---- *Boletin del Centro de Investigaciones Biologicas Universidad del Zulia 34*, 399-409. (In Spanish. *L. andresi* n.sp. from *Thalassia* beds in Falcon State, Venezuela.)

MARTIN, A., M. ORTIZ & D. ATIENZA 2001. (A new species of amphipod crustacean of the genus *Amphilochus* (Crustacea, Amphipoda, Amphilochidae) from Venezuela.) ---- *Acta Cientifica Venezolana 52*, 34-39. (In Spanish. *A. ascidicola* n.sp from the ascidian *Phallusia nigra* in shallow waters.)

MEISSNER, K. 2001. Infestation patterns of microphallid trematods in *Corophium volutator* (Amphipoda). ---- *Journal of Sea Research 45*, 141-151.

MENIOUI, M. & A. BAYED 1986. Contribution à la connaissance des Amphipodes Gammariens de la côte atlantique de Maroc. ---- *Bulletin de l'Institute Scientifique, Rabat 10*, 101-114. (A list containing 131 certain spp and 52 'probables', i.e. found nearby.)

MENIOUI, M. & A.A. MYERS 2001. A new species of *Cerapopsis* Della Valle (Amphipoda: Isaeidae) from the Atlantic coast of Morocco. ---- *Journal of the Marine Biological Association UK 81*, 43-47. (*C. takamodo* n.sp. from Baie de Dakhla, Morocco.)

MIRZAJANI, A.R. & B.H.KIABI 2001. Distribution and abundance of coastal Caspian Amphipoda (Crustacea) in Iran. ---- *Polish Archives of Hydrobiology* 47, 511-516. (Twenty amphipod spp from transects from 2-100m in the Caspian Sea.)

MODIG, H., W.v.d. BUND & E. OLAFSSON 2000. Uptake of phytodetritus by three ostracod species from the Baltic Sea: Effects of amphipod disturbance and ostracod density. ---- *Marine Ecology Progress Series 202*, 125-134.

MOERMOND, C.T.A., J. TIJINK, A.P.van WEZEL & A.A.KOELMANS 2001. Distribution, speciation and bioavailability of lanthanides in the Rhine-Meuse estuary, the Netherlands. ---- *Environmental Toxicology & Chemistry* 20, 1916-1926. (*Corophium volutator* test animal)

MORINO, H, R.M.KAMALTYNOV, K. NAKAI & K. MASHIKO 2000. Phenetic analysis, trophic specialization and habitat partitioning in the Baikal amphipod genus *Eulimnogammarus* (Crystacea). ---- *Advances in Ecological Research 31*, 255-376.

MORRITT, D. 2001. The crab carrion-scavenging amphipod, *Orchomene nanus*, in Lough Hyne, Co Cork, Ireland. ---- *Journal of the Marine Biological Association UK 81*, 1059-1060.

MOTOMORI, K., H. MITSUHASHI & S. NAKANO 2001. Influence of leaf

litter quality on the colonization and consumption of stream invertebrate shredders. ---- *Ecology Research 16*, 173-182. (*Sternomaera yezoensis*)

MOURITZEN, K.N. 2001. Hitch-hiking parasites: A dark horse may be the real rider. ---- International Journal for Parasitology 31, 1417-1420. (Trematod parasites of gammarids; apparently a world where horses can be riders!)

MUSIBONO, D.E. & J.A.DAY 2000. Active uptake of aluminium, copper and manganese by the freshwater amphipod *Paramelita nigroculus* in acidic waters. ---- *Hydrobiologia 437*, 213-219.

MUSKO, I.B. 2001. Life history and biomass of the invasive amphipod *Corophium curvispinum* G.O.Sars, 1895 in the stony littoral zone of Lake Balaton (Hungary). ---- *Polish Archives of Hydrobiology* 47, 607-620.

NALEPA, Th.F., D.W.SCHLOESSER, S.A.POTHOVEN, D.W.HANDORF, D.L.FANSLOW, M.L.TUCHMAN & G.W.FLEISCHER 2001. First finding of the amphipod *Echinogammarus ischnus* and the mussel *Dreissena bugensis* in Lake Michigan. ---- *Journal of Great Lakes Research* 27, 384-391.

NIJSSEN, F., T. BREY, G. LEPOINT, J.-M. BOUQUEGNEAU, C DE BROYER & P. DAUBY 2001. Use of stable isotopes to delineate amphipod trophic status in Antarctic food webs. ---- *Polish Archives of Hydrobiology 47*, 579-584.

NILSSEN, Kj.T., T. HAUG & C. LINDBLOM 2001. Diet of weaned pups and seasonal variations in body condition of juvenile Barents Sea Harp Seals *Phoca groenlandica*. ---- *Marine Mammal Science* 17, 926-936. (*Parathemisto* an

important prey)

NUCCI, P.R., A. TURRA & E.H.MORGADO 2001. Diversity and distribution of crustaceans from 13 sheltered sandy beaches along São Sebastião Channel, south-eastern Brazil. ---- *Journal of the Marine Biological Association UK 81*, 475-484.

OKUMURA, T., N. KAJIHARA & T. NAGASAWA 2001. (Distribution of benthic macrofauna in sandy beaches of Fukui and Ishikawa prefectures, Japan.) ---- Bulletin of the Japan Sea National Fisheries Research Institute 51, 133-140. (In Japanese. Haustorioides sp is dominant E of Kanazawa, Platorchestia platensis on the poorer beaches W. of Kanazawa.)

OLENIN, S. 2000. Occurrence of Malacostraca glacial relicts in the eastern Gotland basin of the Baltic sea over the period 1981-1991. ---- *Crangon 2000-4*, 31-38. (Not seen)

OLIVER, G. & J-P. TRILLES 2000. Crustacés parasites et epizoites du Cachalot, *Physeter catodon* Linnaeus, 1758 (Cetacea, Odontoceti) dans la Golfe du Lion (Mediterranée occidentale). ---- *Parasite* 7, 311-321. (*Neocyamus physeteris*)

ORTIZ, M., R. LALANA & V. LIO 1999. (A new genus and a new species of marine amphipod crustacean (Amphipoda, Aristiidae) from Cuba.) ----*Avicennia 10/11*, 137-142. (In Spanish. Deals with *Miramarassa sanchezi* n. gen., n. sp. from the north coast of Cuba.)

ORTIZ, M., R. LALANA & A. SANCHEZ-DIAZ 2000. (A new spongicolous

amphipod species of the genus *Hoplopheonoides* Shoemaker, 1956 (Gammaridea; Cyproideidae), from Cuba.) ---- *Avicennia 12/13*, 63-68. (in Spanish. Deals with *H. shoemakeri* n.sp. from La Habana, Cuba. Found in *Callispongia vaginalis*.)

ÖSTERLING, M. & L. PIHL 2001. Effects of filamentous green algal mats on benthic macrifaunal functional feeding groups. ---- *Journal of Experimental Marine Biology & Ecology 263*, 159-183. (i.a. *Corophium volutator*.)

OTHMAN, M. SHUHAIMI & D PASCOE 2001. Growth, development and reproduction of *Hyalella azteca* (Saussure, 1858) in laboratory culture. ---- *Crustaceana* 74, 171-181.

PEREIRA, R.C., D.N.CAVALEONTI & V.L.TEIXEIRA 2000. Effects of secondary metabolites from the Brazilian brown alga *Dictyota menstrualis* on the amphipod *Parhyale hawaiensis*. ---- *Marine Ecology Progress Series 205*, 95-100.

POHN, M., K. VOPEL, E. GRUNBERGER & J.OTT 2001. Microclimate of the brown alga *Feldmannia caespitula* interstitium under zero-flow conditions. --- *Marine Ecology Progress Series 210*, 285-290.

PLAITI, W., I. AKOUMIANAKI & A. ELEFTHERIOU 2001. Seasonal and bathymetric trends of the amphipod fauna in Heraklion Bay (Aegean Sea). ---- *Polish Archives of Hydrobiology 47*, 517-525.

POLTERMANN, M. 2001. Arctic sea ice as feeding ground for amphipods: Food sources and strategies. — *Polar Biology 24*, 89-96.

POLTERMANN, M., H.HOP & S. FALK-PETERSEN 2000. Life under Arctic sea ice—reproduction strategies of two sympagic (ice-associated) amphipod species, *Gammarus wilkitzkii* and *Apherusa glacialis*. ---- *Marine Biology*, *Berlin 136*, 913-920.

POORE, A.G.B. & P.D.STEINBERG 2001. Host-plant adaptations in an herbivorous marine amphipod: genetic potential not realized in field populations. ---- *Evolution 55*, 68-80. (Work on *Peramphithoe parmerong*.)

POORE, A.G.B., M.J.WATSON, R.de NIJS, J.K.LOWRY & P.D.STEINBERG 2000. Patterns of host use among algae- and sponge-associated amphipods. ---- *Marine Ecology Progress Series 208*, 183-196.

PROCHES, S., D.J.MARSHALL, K. UGRASEN & A. RAMCHARAN 2001. Mangrove pneumatophore arthropod assemblages and temporal patterns. ----*Journal of the Marine Biological Association UK 81*, 545-552. (A Durban study. Amphipods are *Hyale grandicornis, Melita zeylanica, Corophium triaenonyx* and a podocerid.)

POULIN, R. & S.R.RATE 2001. Small-scale heterogeneity in infection levels by symbionts of the amphipod *Talorchestia quoyana* (Talitridae). ---- *Marine Ecology Progress Series 212*, 211-216. (A N.Zealand study. The parasites are nematodes and mites.)

REN, X. 1991. (Contribution to the study of marine biology in the Nasha Islands and the neighbouring waters I.) ---- China Ocean Press, 181-188. (In Chinese. Deals with Ampelisca nashaensis n.sp., A. cyclops, Byblis kallarthra, B. calisto and Elasmopus spinimanus.)

REN, X. & CH. ZHANG 1996. (Fouling Amphipoda (Crustacea) from Dayawan, Guangdong province, China (South China sea).) ---- Institute of Oceanology, the China Academy of Sciences 1, 58-78. (In Chinese. Deals with i.a. Ampithoe valida, Aoroides longimerus n.sp., Cheiriphotis megacheles, Photis hawaiensis, Jassa falcata, Maera pacifica, Podocerus brasiliensis, Platorchestia platensis, Caprella equilibra, C. penantis and C. scaura.)

RICHARDSON, A.M.M., E.T.CHESTER & R.SWAIN 2001. Brood plate morphology and its implications for brooding in an ecological series of talitrid amphipods. ---- *Polish Archives of Hydrobiology 47*, 631-642.

RICHTER, S. 1999. The structure of the ommatidia of the Malacostraca (Crustacea)— a phylogenetic approach. ---- *Verhandlungen des Naturwissenschaftlichen Vereins Hamburg (NF) 38*, 1161-204. (Not seen)

RICHTER, S. & G. SCHOLTZ 2001. Phylogenetic analysis of the Malacostraca. ---- *Journal of Zoological Systematics and Evolution Research 39*, 113-136. (Amphipoda sister-group of the Mancoidea, i.e. the remaining Malacostraca, minus the Mysidacea.)

ROSARIO, R.B.del & V.H.RESH 2001. Interstitial invertebrate assemblages associated with small-scale subsurface flowpaths in perennial and intermittent California streams. ---- *Archiv für Hydrobiologie 150*, 629-640.

ROSS, K.E. & J.R.BIDWELL 1999. Comparative response of *Ecklonia radiata* and other marine species to complex effluents. ---- *Australasian Journal of Ecotoxicology* 5, 113-122. (i.a. *Allorchestes compressa*)

RUFFO, S. & R. VONK 2001. *Ingolfiella beatricis*, new species (Amphipoda: Ingolfiellidea) from subterranean waters of Slovenia. ---- *Journal of Crustacean Biology 21*, 484-491. (Pajsarjeva Jama, Vrhnika, Slovenia.)

RYLAND, J.S., S. de PUTRON, R.S.SCHELTEMA, P.J.CHIMONOIDES & D.G.ZHADAN 2000. Semper's (zoanthid) larvae: pelagic life, parentage and other problems. ---- *Hydrobiologia 440*, 191-198. (Not seen. "Three larvae contained an endocommensal parasitic amphipod.")

SANCHEZ-JEREZ, P., C. BARBERA-CEBRIAN & A.A. RAMAS-ESPLA 2000. Influence of the structure of *Posidonia oceanica* meadows modified by bottom trawling on crustacean assemblages: comparison of amphipods and decapods. ---- *Scientia Marina 64*, 319-326. ("The amphipod community seems to be a strong indicator of the ecological implications of seagrass degradation.")

SCHLEKAT, C.E., A.W.DECHO & G.T.CHANDLER 2000. Bioavailability of particle-associated silver, cadmium, and zinc to the estuarine amphipod *Leptocheirus plumulosus* through dietary ingestion. ---- *Limnology* & *Oceanography* 45, 11-21.

SCHNITZLER, I., G. POHNERT, M. HAY & W. BOLAND 2001. Chemical defenses of brown algae (*Dictyopteris* spp) against the herbivorous amphipod *Ampithoe longimana. ---- Oecologia 126*, 515-521.

SCHULTZ, R. 2001. Rainfall-induced sediment and pesticide input from orchards into the Lourens River, western Cape, South Africa. ---- Water Research 35, 1869-1876. (Data on Paramelita nigroculus)

SCHWINDT, E. & O.O.IRIBARNE 2000. Settlement sites, survival and effects of an introduced reef-building polychaete in a SW Atlantic coastal lagoon. ---
Bulletin of Marine Science 67, 73-82. (Ficopomatus enigmaticus is the invader.

Large populations of Melita palmata build up among their tubes.)

SCOTT, C.L. 2000. Calanoid copepods and ice fauna in Arctic fjords and regions of the marginal ice zone around Svalbard; lipids; stage distribution; trophic interactions and life strategies. ---- PhD Thesis, Univ. of Stirling, Scotland, 210 pp (Not seen)

SCOTT, C.L., S. FALK-PETERSEN, J.R.SARGENT, H.HOP, O.J.LØNNE & M. POLTERMANN 1999. Lipids and trophic interactions of ice fauna and pelagic zooplankton in the marginal ice zone of the Barents Sea. ---- *Polar Biology 21*, 65-70. (i.a. *Gammarus wilkitzkii, Apherusa glacialis, Onisimus glacialis, O. nanseni*, and *Parathemisto libellula*.)

SEREJO, C.S. 2001. A new species of amphipod from the Brazilian coast, with redecription of *Hyale spinidactyla* Chevreux, 1925 (Crustacea, Amphipoda, Hyalidae). ---- *Zoosystema 23*, 479-492. (Deals with *H. spinidactyla* and *H. youngi* n.sp. (Praia Rasa, Rio de Janeiro, Brazil). A synoptic key to the 4 spp in the *spinidactyla* complex, and a key to Brazilian *Hyale*, are provided.)

SEREJO, C.S., Y. WAKABARA & M.T.VALERIO-BERNARDI 2001.

Taxonomy and geographic distribution of *Ampelisca* (Amphipoda:

Gammaridea) from the Brazilian coast. ---- *Polish Archives of Hydrobiology 47*,

495-510. (Deals with *A. brevisimulata*, *A. cristata*, *A.* aff. *lobata*, *A. paria*, *A. pugetica* and *A. romigi*. A key to Brazilian *Ampelisca* is provided.)

SICINSKI, J. 2000. Professor Krzysztof Jazdzewski—40 years of scientific activity. ---- *Polish Polar Research 21*, 209-216. (Contains 2 plates with nice portraits of Krzysztof at various ages.)

SMITH, D.G. & R.W. HEARD 2001. A new species of *Chelorchestia* (Amphipoda: Talitridae) from southwest Florida, with comments on other species of the genus. ---- *Journal of Crustacean Biology 21*, 1031-1041. (*Ch. forceps* n.sp. from Sanibel island, Florida, with notes on other *Chelorchestia* spp)

SPENCER, M. & B.L.McGEE 2001. A field-based population model for the sediment toxicity test organism *Leptocheirus plumulosus*. 1. Model development. ---- *Marine Environmental Research 51*, 327-345.

STEEVENS, J.A. & W.H.BENSON 2000. Interactions of chlorpyrifos and methyl mercury: a mechanistic approach to assess chemical mixtures. ----*Marine Environmental Research 50*, 113-117.

STOCH, F. 1999. (The freshwater macroinvertebrates of Friuli-Venezia Giulia (Northeastern Italy): Amphipods (Crustacea Amphipoda).) ---- *Gortonia, Atti del Museo Friulana di Storia Naturale 21*, 133-160. (In Italian, not seen. Eleven spp identified from epigean waters. The total checklist for the area is of 39 spp, of which 25 are stygobiont.)

STOCH, F. 2000. (Researches on the aquatic fauna of Trentino caves (Northern Italy). ---- *Studi Trentini di Scienze Naturale, Acta Biologica 74 (1997*), 117-132. (In Italian, not seen)

STOJKOV, S. & S. UZUNOVA 1999. Dynamics of macrozoobenthos from the

Bourgas bay (Bulgarian Black Sea coast) during the period 1993-1995. ----*Proceedings of the Institute of Fisheries, Varna 25*, 153-174.

SUNDELIN, B., CH. RYK & G. MALMBERG 2000. Effects on the sexual maturation of the sediment-living amphipod *Monoporeia affinis*. ---- *Environmental Toxicology 15*, 518-526.

SURES, B. & B. STREIT 2001. Eel parasite diversity and intermediate host abundance in the river Rhine, Germany. ---- *Parasitology 123*, 185-191. (Where invading amphipods and isopods, who are not intermediate hosts, have taken over, the incidence of parasitism is significantly lower.)

SURTIKANTI, H.K. & R.V.HYNE 2000. Sediment toxicity testing using the amphipod *Corophium* sp: Standardization of test conditions for an acute survival test and a suc-chronic test in freshwater. ---- *Australasian Journal of Ecotoxicology* 6, 11-20.

TAKAKAWA, A. & S. ISHIMARU 2001. Two new species of the genus *Anonyx* (Amphipoda: Gammaridea: Lysianassoidea) from Onagawa Bay, Northeastern Japan. ---- *Zoological Science 18*, 405-416. (Deals with *A. omorii* n.sp. and *A. abei* n.sp., both from baited traps in Onagawa Bay, NE Japan.)

TAKEUCHI, I., K. WATANABE, A. TANAMURA & M. FUKUCHI 2001. Assemblages of necrophagous animals off Enderby Land, East Antarctica. ---- *Polar Biology 24*, 651-656.

TAKHTEEV, V.V. 2000. (Essays on the amphipods of Lake Baikal (systematics, comparative ecology, evolution.).) ---- Irkutsk State University

Press, Irkutsk, 355 pp. (In Russian, not seen. Can anybody tell me where to get a copy?)

TAYLOR, J. & G.C.B.POORE 2001. Descriptions of new species of *Birubius* (Amphipoda: Phoxocephalidae) from Australia and Papua New Guinea with comments on the *Birubius-Kulgaphoxus-Tickalerus-Yan* complex. ---- Memoirs of Museum Victoria 58, 255-295. (The authors find it difficult to recognize the small genera *Kulgaphoxus*, *Tickalerus* and *Yan*, and therefore provisionally describe all new taxa here in *Birubius*. They are *B. drummondae* n.sp. (Western Port, Vic.), *B. heissleri* n.sp. (Ninety Miles Beach, Vic.), *B. lowryi* n.sp. (Madang lagoon, PNG), *B. wallisae* n.sp. (Moreton Bay, Qld), and *B. wilsoni* n.sp. (Madang lagoon, PNG).)

THURSTON, M.. 2001. Benthic Gammaridea (Crustacea: Amphipoda) in the deep sea. ---- *Polish Archives of Hydrobiology 47*, 353-377. (A most useful revies.)

TSVETNENKO, Y.B., A.J.BLOCJ & L.H.EVANS 2000. Development of marine sediment reworker tests with Western Australian species for toxicity assessment of drilling muds. ---- *Environmental Toxicology 15*, 540-548. (i.a. *Grandidierella* sp.)

UGOLINI, A. 2001. Relationship between compass systems of orientation in equatorial sandhoppers. ---- *Animal Behaviour 62*, 193-199

UGOLINI, A. 2001. *The moon as an orientation factor*. ---- Pp ?? (11pp) in RIN(ed.). Orientation and navigation, birds, human and other animals. Oxford

UGOLINI, A., L. MEUCCI, B. TIRIBILLI & M. LINDSTRÖM 1999. *Celestial orientation and spectral filtering in* Talitrus saltator *and* Tylos europaeus (*Crustacea, Peracarida*). ----- Abstract only. Proceedings meeting "Vision, behaviour and the marine environment", Oristano, CNR-ICB.

UGOLINI. A., C. MELIS & R. INNOCENTI 1999. Moon orientation in adult and young sandhoppers. ---- *Journal of Comparative Physiology A* 184, 9-12.

UGOLINI, A., C. MELIS, R. INNOCENTI & B. TIRIBILLI 1999. Moon and sun compasses in sandhoppers rely on two separate chronometric mechanisms. --- *Proceedings of the Royal Society B 266*, 749-752.

UGOLINI, A. & B. TIRIBILLI 2001. Sun and moon identification by sandhoppers (Amphipoda, Talitridae). ---- Abstract only. Proceedings International Conference on Vision. Backaskog Castle, Lund Univ., Sweden.

UGOLINI, A., B. VIGNALI & P. POSSO 1999. *Talorchestia tricornuta* Shoemaker (Amphipoda, Talitridae) from sandy shores of Gabon: compass mechanisms of orientation. ---- *Ethology 105*, 25-36.

USIO, N., M. KONSHI & S. NAKANO 2001. Is invertebrate shredding critical for collector invertebrates? A test of the shredder-collector facilitation hypothesis. ---- *Ecology Research 16*, 319-326.

UZUNOVA, S. 1999. On the biodiversity of the Ponto-Caspian Amphipoda (Crustacea) from the Bulgarian Black Sea coast. ---- *Proceedings of the Institute of Fisheries, Varna 25*, 175-186.

VADER, W. & J.R.JOHNSEN 2001. Schisturella pulchra (Hansen)

(Lysianassoidea), a new amphipod for the Barents Sea area. ---- *Polish Archives* of *Hydrobiology 47*, 489-494. (Records from N.Norway and Svalbard).

VALERIO-BERARDI, M.T., M.N. FLYNN & Y. WAKABARA 2000. Density and diversity patterns of a shelf amphipod taxocoenosis in Ubatuba, southeastern Brazil. ---- *Oceanides 15*, 117-127.

VALERIO-BERARDO, M.T., M.N.FLYNN & Y. WAKABARA 2001. Patterns of distribution based on the life style of amphipods from the subtropical shelf of Ubatuba, southeastern Brazil. ---- *Polish Archives of Hydrobiology* 47, 533-539.

VELOSO, V.G. & R.S. CARDOSO 2001. Effect of morphogenetics on the spatial and temporal variation of macrofauna on three sandy beaches, Rio de Janeiro State, Brazil. ---- *Journal of the Marine Biological Association UK* 81, 369-375. (i.a. *Pseudorchestoidea brasiliensis*)

WALDOCK, R., H.L.REES, P. MATTHIESSEN & M.A.PENDLE 1999. Surveys of the benthic infauna of the Crouch estuary (UK) in relation to TBT contamination. ---- *Journal of the Marine Biological Association UK 79*, 225-232.

WAN, M.T., G. VAN AGGELEN, W. CHENG & R.G.WATTS 2000. Acute toxicity of chlorine-produced oxidants (CPO) to the marine invertebrates *Amphiporeia virginiana* and *Eohaustorius washingtonianus*. ---- *Bulletin of Environmental Contamination & Toxicology* 69, 205-212.

WANG, D. & J.R. HOLSINGER 2001. Systematics of the subterranean

amphipod genus Stygodromus (Crangonyctidae) in western North America, with emphasis on species of the *hubbsi*-group. ---- Amphipacifica 3 (2), 39-147. (This impressive paper, based on Wang's thesis, deals with *Stygodromus* saltuaris n.sp. (Oregon), S. rallus n.sp. (Washington), S. limbus n.sp. (Texas), S. fontinalis n.sp. (Colorado), S. jemezensis n.sp. (N.Mexico), S. herbsti n.sp. (Nevada), S. trinus n.sp. (California), S. boultoni n.sp. (Arizona), S. duplus n.sp. (Washington), S. utahensis n.sp. (you guessed it: Utah), S. interstitialis n.sp. (Colorado), S. puteanus, S. pennaki, S. urospinatus n.sp. (Colorado), S. coloradensis, S. blinni n.sp. (Arizona), S. holsingeri, S. quatsinensis, S. wahkeenensis n.sp. (Oregon), S. lanensis n.sp. (Oregon), S. sierrensis, S. putealis, S. lacicolus, S. sheldoni, S. myersae n.sp. (California), S. cherylae n.sp. (California), S. cowani n.sp. (California), S. tahoensis, S. mackenziei, S. oregonensis, S. hubbsi, S. mysticus, S. hyporheicus n.sp. (California), S. elliotti, S. gradyi, S. latus n.sp. (Washington), S. gallawayae n.sp. (California), S. harai, S. wengerorum, S. grahami, S. rudolphi n.sp. (California) and S. imperialis n.sp. (California)—all these belong to the *hubbsi*-group. Also described are *S*. canadensis, S. idahoensis n.sp. (Idaho), S. glacialis n.sp. (Montana), S. montanensis, S. corroae n.sp. (N.Mexico), S. simplex n.sp. (Colorado) and S. wardi n.sp. (Colorado). A character date matrix, a cladogram and extensive biogeographic data are also provided.)

WARWICK, R.M. 2001. Evidence for the effect of metal contamination on the intertidal macrobenthic assemblages of the Fol estuary. ---- *Marine Pollution Bulletin 42*, 145-148. (In Cornwall, UK. *Corophium volutator* and *Cyathura carinata* absent, while many small polychaetes dominate.)

WATTS, M.M., D. PASCOE & K. CARROLL 2001. Survival and precopulatory behaviour of *Gammarus pulex* (L.) exposed to two

xenoestrogens. ---- Water Research 35, 2347-2352.

WEISSHAPPEL, J.B. 2001. Distribution and diversity of the hyperbenthic amphipod family Calliopiidae in the different seas around the Greenland-Iceland-Faeroe-ridge. ---- *Sarsia* 86, 143-151.

WENCKI, K. 2000. Interannual variability in the occurrence of *Themisto* (Amphipoda) in the north Norwegian Sea. ---- *Polish Polar Research 21*, 143-152. (*Th. abyssorum* and *Th. libellula*)

WESLAWSKI, J.M., K. OPALINSKI & L. LEGEZYNSKA 2001. Life cycle and production of *Onisimus litoralis* (Crustacea Amphipoda): the key species in the Arctic soft sediment littoral. ---- *Polish Archives of Hydrobiology 47*, 585-596.

WISENDEN, B.D., S.G. POHLMANN & E..E. WATKIN 2001. Avoidance of conspecific injury-released chemical cues by free-ranging *Gammarus lacustris* (Crustacea: Amphipoda). ---- *Journal of Chemical Ecology* 27, 1249-1258.

YAKOVLEV, V. 2001. Occurrence of *Gammarus lacustris* G.O.Sars (Amphipoda) in the north-eastern Fennoscandia and the Kola peninsula in relation to natural and anthropogenic factors. ---- *Polish Archives of Hydrobiology* 47, 671-680.

YEMALYANOVA, A. YU., T.A. TEMEROVA & A.G.DEGERMENDZHY 2000. (Experimental study of feeding and growth of fresh-water amphipod *Gammarus lacustris* Sars (Amphipoda, Gammaridae) from the Shira lake (Khakasia).) ---- *Biologiya Vnytrennikh Vod 4*, 86-93. (In Russian)

ZERBST-BOROFFKA, I., T. GROSPIETSCH, I. MEKHANIKOVA & V. TAKHTEEV 2000. Osmotic and ionic hemolymph concentrations of bathyal and abyssal amphipods of Lake Baikal (Siberia) in relation to water depth. ---- *Journal of Comparative Physiology B170*, 615-625.

ZETTLER, M.L. 2001. Die höheren Krebse (Malacostraca) der Darsz-Zingster Boddenkette. ---- *Meer und Museum 16*, 74-75.